


“Vaqtigizni devorga urib, undan eshik paydo qilishga sarflamang” –


– Coco Chanel

- $\sqrt{4^{15} + 6^{16} + 9^{16}} - \sqrt{4^{15} - 6^{16} + 9^{16}}$ ifodani soddalashtiring.
A) $2 \cdot 9^8$ B) $2 \cdot 3^{15}$ C) 3^{15} D) 2^{16}
- Turistik firma uch kunlik avtobusda sayohat tashkil qildi. Bir kishi uchun ekskursiya narxi 3500 so'm. Guruhlarga chegirmalar joriy etildi, yani 3 dan 10 kishigacha – 5%, 10 kishidan ortiq bo'lsa – 10%. 6 kishidan iborat guruh necha so'm harajat qilgan.
A) 20900 B) 19950 C) 19900 D) 20950
- 3 ga bo'lganda 1 qoldiq qoladigan dastlabki o'n yettita toq natural sonlar yig'indisini toping.
A) 935 B) 833 C) 736 D) 820
- $(x^3 - 4x) \cdot \sqrt{x + 1} > 0$ tengsizlikning eng katta butun manfiy yechimini toping.
A) -3 B) \emptyset C) -2 D) -1
- Ifodani soddalashtiring:
 $2 \cdot \cos\left(\frac{\pi}{6} - \frac{\alpha}{4}\right) \cdot \sin\left(\frac{\pi}{3} - \frac{\alpha}{4}\right) \cdot \sin\frac{\alpha}{4}$
A) $\frac{1}{2} \sin\frac{\alpha}{2}$ B) $\frac{1}{2} \sin\frac{3\alpha}{2}$ C) $\frac{1}{2} \sin\frac{3\alpha}{4}$ D) $\frac{1}{4} \sin\frac{3\alpha}{4}$
- Agar $\log_{30} 3 = a$ va $\log_{30} 5 = b$ bo'lsa, $\log_{30} 4$ ni a va b orqali ifodalang.
A) $2a + 2ab - 2b$ B) $2 - 2a - 2b$ C) $1 - a - b$ D) $2 + 2a - 2b$
- $a \cdot b \cdot c = 5$ bo'lsa,
 $\left(\frac{2}{a} - b \cdot c\right) \cdot \left(\frac{4}{b} - a \cdot c\right) \cdot \left(\frac{3}{c} - a \cdot b\right)$ ko'paytmani qiymatini toping.
A) 1 B) $\frac{2}{3}$ C) $-\frac{6}{5}$ D) $-\frac{5}{3}$
- $a^2 - b^2 + a + 7b - 12$ ko'phadning ko'paytuvchilardan birini toping.
A) $a + b + 4$ B) $a + b - 3$ C) $a - b + 3$ D) $a + b + 3$
- Tenglamani yeching. $\cos^2 x - \sin^2 x = -\frac{1}{2}$
A) $\pm \frac{5\pi}{3} + \pi k, k \in Z$ B) $\pm \frac{5\pi}{6} + \pi k, k \in Z$
C) $\pm \frac{5\pi}{3} + 2\pi k, k \in Z$ D) $\pm \frac{\pi}{3} + \pi k, k \in Z$
- Tenglamani ildizlari yig'indisini toping.
 $\log_2(2 - x) - \log_2(2 - \sqrt{x}) = \log_2 \sqrt{2 - x} - 0,5$
A) $\frac{16}{9}$ B) $\frac{29}{45}$ C) $\frac{80}{45}$ D) $\frac{13}{4}$
- Tenglamalar sistemasini yeching.
 $\begin{cases} (x + xy^2 + y^2)(x + y^2)^2 = 225 \\ (x - xy^2 + y^2)(x + y^2)^2 = 25 \end{cases}$
A) (4;1), (4;-1) B) (1;2), (1;-2)
C) (-4;1), (4;-1), (1;2), (1;-2)
D) (4;1), (4;-1), (1;2), (1;-2)
- $2^{\log_{0,8}(x) \cdot \log_{0,8}(1,25^x)} > 1$ tengsizlikni yeching.
A) (1;∞) B) (0;1,25) ∪ (3;∞)
C) (0;0,8) ∪ (1;∞) D) (0,8;1)
- $x + 6 < \sqrt{x + 18}$ tengsizlikni yeching
A) [-18;16) B) [-18;-1) C) (-18;-2) D) [-18;-2)

- Yon tomoni 41 sm, balandligi 40 sm va o'rta chizig'i 45 sm bo'lgan teng yonli trapetsiyaning asoslarini toping.
A) 38sm, 52sm B) 42sm, 48sm
C) 36sm, 54sm D) 24sm, 66sm
- Grafik ko'rinishda berilgan funksiyani qiyamatlar to'plamini toping.



- $[-4;-1) \cup (-1;3]$ B) $[-3;7)$
C) $[-3;-2] \cup [2;5]$ D) $[-4;3]$
- $y = x^5 - 5x^4 - 2$ funksiyani $(-1;1)$ oraliqdagi eng katta qiymatini toping.
A) -50 B) -1 C) \emptyset D) -2
- $\int_0^{\frac{\pi}{2}} \sin(2x + \frac{\pi}{3}) dx$ integralni hisoblang.
A) 0,25 B) 1,5 C) 1,25 D) 0,5
- Bir burchagi 60° bo'lgan to'g'ri burchakli uchburchakka tomoni 6 sm ga teng bo'lgan romb shunday ichki chiziganki, 60° li burchak ular uchun umumiy, rombnning barcha uchlari uchburchakning tomonlarida yotadi. Uchburchakning katta tomoni uzunligini toping.
A) 18sm B) 12sm C) 16sm D) 24sm
- Muntazam uchburchakka tomoni 1 ga teng bo'lgan kvadrat ichki chizilgan. Uchburchakning tomonini toping.
A) $\frac{2\sqrt{3}+9}{3}$ B) $\frac{2\sqrt{3}+9}{6}$ C) $\frac{2\sqrt{3}+3}{3}$ D) $\frac{2\sqrt{3}+3}{6}$
- Piramidaning asosi tomoni 4 ga teng bo'lgan muntazam uchburchakdan iborat. Uning ikkita yon yoqlari asos tekisligiga perpendikulyar bo'lib, ular teng yonli to'g'ri burchakli uchburchakdan iborat. Piramida yon sirtining yuzini toping.
A) $16 + 4\sqrt{7}$ B) $12 + 4\sqrt{7}$ C) $12 + 4\sqrt{7}$ D) $16 + \sqrt{7}$
- Koordinata to'g'ri chizig'ida $\sqrt{39}$ songa mos nuqta belgilangan. Bu qaysi nuqta



- Q nuqta B) M nuqta C) N nuqta D) P nuqta
- $A = \{1;3;5;6;8;9;10;11\}$ va $B = \{5;6;7;8;10;11\}$ to'plamlar berilgan. $A \cap B$ to'plam elementlari sonini toping.
A) 5 B) 8 C) 9 D) 4
- Quyidagilardan qaysilari to'g'ri?
1) agar $b > 0$, $a > c > 0$ bo'lsa, u holda $\frac{a}{b} > \frac{c}{b}$ bo'ladi
2) agar $a > 0$, $0 < b < c$ bo'lsa, u holda $\frac{a}{b} > \frac{a}{c}$ bo'ladi

3) agar $c > 0, a > b > 0$ bo'lsa, u holda $\frac{a}{b} < \frac{a+c}{b+c}$ bo'ladi.

A) 2; 3 B) 1; 2 C) 1; 2; 3 D) 1; 3

24. To'g'ri berilgan integrallash formulalarini tanlang:

1) $\int \sin(g(x)) \cdot g'(x) dx = -\cos(g(x)) + x + c$

2) $\int \cos(g(x)) \cdot g'(x) dx = \sin(g(x)) + c$

3) $\int \text{ctg}(g(x)) \cdot g'(x) dx = \ln|\sin(g(x))| + c$

A) 1; 2 B) 2; 3 C) 1; 2; 3 D) 1; 3

25. Quyida keltirilgan tasdiqlardan qaysilari to'g'ri.

1) teng yonli trapetsiyaga har doim ichki aylana chizish mumkin.

2) ixtiyoriy nuqta orqali bir va undan ortiq to'g'ri chiziqlar o'tkazish mumkin.

3) agar burchak 45° teng bo'lsa, u holda unga vertikal burchak ham 45° ga tengdir.

4) ixtiyoriy trapetsiyaning yon tomonlari tengdir.

A) 2; 3 B) 1; 4 C) 2; 4 D) 1; 3

26. $y = x^2 - |2x - 4|$ funksiya grafigiga $x = 3$ va $x = -3$ nuqtalarda o'tkazilgan urinmalarning kesishish nuqtasi absissasini toping.

A) 3 B) 1 C) -1 D) -1

27. Ketma-ket kelgan ikkita musbat juft sonlar

kavratlarining ayirmasi 124 ga teng. Ushbu sonlardan kichigini toping.

A) 32 B) 26 C) 28 D) 30

28. $y = x^4 - 4\ln x$ funksiyaning minimum nuqtasini toping.

A) $x=2$ B) $x=1$ C) mavjud emas D) $x=0$

29. Quyida berilgan ketma-ketliklardan qaysi biri arifmetik progressiya hisoblanadi?

A) 3 sonining darajalaridan iborat natural sonlar ketma-ketligi.

B) natural sonlarning kublaridan iborat ketma-ketlik.

C) surati maxrajidan 1 ga kichik bo'lgan barcha to'g'ri kasrlar ketma-ketligi.

D) 4 ga karrali bo'lgan natural sonlar ketma-ketligi.

30. A(0;1) va B(5;-3) nuqtalar berilgan. Agar B nuqta AC kesmani o'rtasi bo'lsa, C nuqta koordinatalari yig'indisini toping.

A) 2 B) 2,5 C) 3 D) 4

31. $(\sin 161^\circ + \sin 41^\circ)(\sin 139^\circ + \sin 19^\circ) + (\sin 49^\circ - \sin 109^\circ)(\sin 131^\circ - \sin 71^\circ)$ ni soddalashtiring.

A) 1 B) 0 C) $\cos 22^\circ$ D) $\sin 22^\circ$

32. Ifodani soddalashtiring.

$$2(\sin \alpha)^{-1} + 2(\text{tg} \alpha)^{-1} - \left(\text{tg} \frac{\alpha}{2}\right)^{-1}$$

A) $\text{tg} \frac{\alpha}{2}$ B) $\text{ctg} \frac{\alpha}{2}$ C) $-2\text{ctg} \frac{\alpha}{2}$ D) $-\text{tg} \frac{\alpha}{2}$

33. Ifodani soddalashtiring.

$$\frac{1 - \log_a^3 b}{(\log_a b + \log_b a + 1) \cdot \log_a \frac{a}{b}} \cdot \log_b a$$

A) 0 B) 2 C) 1 D) 3

34. Agar a, b, c manfiy butun sonlar bo'lib $\frac{1}{a} > \frac{1}{b} > \frac{1}{c}$

tengsizliklar bajarilsa, $|a + b| - |b - c| + |a - c|$ ifodani soddalashtiring.

A) $-2a$ B) $-2a - 2c$ C) 0 D) $b - a$

35. Ifodaning qiymatini toping.

$$7^{1 - \log_7 8} - 4^{-\log_4 0,125}$$

A) -7,875 B) 0 C) -3,875 D) -7,125

36. Kasrni qisqartiring. $\frac{x^4 + a^2 x^2 + a^4}{x^3 - a^3}$

A) $\frac{x^3 + ax^2 + a}{x^2 + ax + a^2}$ B) $\frac{x^2 - ax + a^2}{x^2 + ax + a^2}$ C) $\frac{x^2 + ax + a^2}{x - a}$ D) $\frac{x^2 - ax + a^2}{x - a}$

37. $2x^2 - (2\sqrt{3} + 3\sqrt{2})x + \sqrt{6} + 2 = 0$ tenglamaning kichik ildizini toping.

A) $-\frac{\sqrt{2}}{2}$ B) $\sqrt{3} + \sqrt{2}$ C) $\sqrt{3} - \sqrt{2}$ D) $\frac{\sqrt{2}}{2}$

38. a haqiqiy soni uchun $\sqrt{12 - a} - \sqrt{5 - a} = 2$ tenglamaning ifodaning qiymatini toping.

A) 2,5 B) 3 C) 3,5 D) 4

39. $f(x) = \begin{cases} 4x + 1, & x < 0 \\ -x^3 + 5, & x \geq 0 \end{cases}$ funksiya berilgan. $f(f(2))$ ni toping.

A) -13 B) -7 C) -11 D) -1

40. $|x + 2| + \frac{1}{2}|x - 4| = 6$ tenglamaning barcha haqiqiy yechimlari yig'indisini toping.

A) 5 B) 0 C) -3 D) 1

41. a ning qanday eng kichik butun qiymatida $-x^2 - 10x + 5 < a$ tengsizlik x ning barcha qiymatlarida o'rinli bo'ladi?

A) 32 B) 29 C) 30 D) 31

42. $2^{\sqrt{x+1}} - 6 \leq 2^{4 - \sqrt{x+1}}$ tengsizlikni qanoatlantiruvchi butun sonlar nechta?

A) 10 ta B) 7 ta C) 9 ta D) 8 ta

43. $y = \frac{|x-1|}{x-1} + 2$ funksiya grafigi qaysi choraklardan o'tadi.

A) I, III, IV B) I, II, III C) I, III D) I, II

44. Uchburchakning 10 ga teng balandligi uning asosini 10 va 4 ga teng kesmalarga ajratadi. Uchburchakning qolgan ikki tomonidan kichigiga o'tkazilgan mediananing uzunligini toping.

A) 11 B) 14 C) 13 D) 12

45. Agar $f(x) = \frac{e^x}{\ln x} - \sqrt{\sin 3}$ bo'lsa, $f'(e)$ ni toping.

A) $\frac{e^{e-1} \cdot (e-1)}{e}$ B) $e^{e-1} \cdot (e-1)$ C) e D) e^e

46. $\int_1^3 2e^{2x} dx$ integralni hisoblang.

A) $e^2(e^3 - 1)$ B) $e^2(e^4 - 1)$ C) $e^4(e^2 - 1)$

D) $e^2(e^4 + 1)$

47. Teng yonli trapetsiyaning pastki asosi 50 sm ga

ustki asosi esa 36 sm ga teng. Bu trapetsiyaning diagonallari o'zaro perpendikulyar. Uning yuzini toping.

A) 1849 sm² B) 2036 sm² C) 1600 sm² D) 1681 sm²


48. a, b, c musbat butun sonlar uchun $x = 3a + 2 = 5b + 4 = 7c + 6$ tengliklar bajarilsa, x uch xonali sonning eng katta qiymatini toping.

A) 999 B) 944 C) 945 D) 976

49. Tomoni 4 ga teng bo'lgan ABCDEF muntazam oltiburchakda L nuqta AB tomon o'rtasi. K nuqta ED tomondan olingan nuqta bo'lib DK=3 bo'lsa, KL ning uzunligini toping.

- A) $4\sqrt{3}$ B) 7 C) $3\sqrt{7}$ D) 6

50. Quyidagi chizmada berilganga ko'ra,



$\frac{|a-b|+|b-c|+|c-a|}{2}$ ni toping.

- A) a-b B) b-c C) a-c D) b-a

51. $x^2-4x-7=0$ tenglamaning ildizlari a va b bo'lsa

$\frac{20}{a^2-4a+3} + \frac{2b^2-8b+16}{5}$ ning qiymatini toping.

- A) 6 B) 7 C) 8 D) 4

52. $y=1+2x^2-4x+m$ funksiyaning eng kichik qiymati -3 ga teng bo'lsa, $m=?$

- A) -3 B) 0 C) -2 D) -1

53. Ikki xonali son o'zining raqamlari ko'paytmasidan 3 marta, yig'indisidan 4 marta katta? Shu sonning raqamlarining yig'indisini toping.

- A) 12 B) 17 C) 8 D) 6

54. $64^{25} \cdot 25^{64}$ soni N sonining kvadrati bo'lsa, N sonining raqamlari yig'indisini toping.

- A) 14 B) 28 C) 7 D) 21

55. $y=|x|$ berilgan. y' ni toping.

- A) 1 B) -1 C) 0 D) $\frac{|x|}{x}, x \neq 0$

56. Qaysi nuqtada $y=x^3-2x^2+4$ va $y=x^3-\ln x$ funksiyalarning grafiklariga o'tkazilgan urunmalar o'zaro parallel bo'ladi?

- A) $x = \frac{1}{2}$ B) $x = \pm \frac{1}{2}$ C) $x=2$ D) $x = -\frac{1}{2}$

57. Muntazam uchburchakka tomoni m ga teng bo'lgan kvadrat ichki chizilgan. Uchburchakning tomonini toping.

- A) $\frac{m(2\sqrt{3}+6)}{3}$ B) $\frac{m(2\sqrt{3}+6)}{6}$ C) $\frac{m(\sqrt{3}+3)}{3}$ D) $\frac{m(2\sqrt{3}+3)}{3}$

58. Radiuslari 7 va 14 sm bo'lgan kesishuvchi ikkita aylananing kesishish nuqtalaridagi urunmalar o'zaro perpendikulyar. O_1ABO_2 shaklning yuzini toping., bunda AB - aylanalarga umumiy urunma, O_1 va O_2 esa ularning markazlari.

- A) 110sm^2 B) 238sm^2 C) 109sm^2 D) 147sm^2

59. ABCDA₁B₁C₁D₁ kub berilgan bo'lib, K, L, M - nuqtalar mos ravishda BB₁, A₁D₁, va CD qirralarning o'rtalari. Kubning KLM tekislik bilan kesimi bo'ladi.

- A) oltiburchak B) beshburchak C) to'rtburchak D) uchburchak

60. Do'konda 5 xil konvert va 4 xil marka sotilmoqda.

Konvert bilan markani necha usulda sotib olish mumkin?

- A) 16 B) 20 C) 18 D) 15

61. Chiziqli tenglamalar sistemasi nechta ildizga ega bo'la oladi.

- 1) bitta ildizga; 2) cheksiz ko'p ildizga;

3)ildizi yo'q;

- A) faqat 1 B) faqat 1;3 C) faqat 2;3 D) 1; 2; 3

62. To'g'ri berilgan integrallash formulalarini tanlang.

1) $\int \frac{1}{g(x)} \cdot g'(x) dx = \ln|g(x)| + c$

2) $\int a^{g(x)} \cdot g'(x) dx = \frac{a^{g(x)}}{\ln|a|} + c$

3) $\int e^{g(x)} \cdot g'(x) dx = g(x) \cdot e^{g(x)} + c$

- A) 1; 2; 3 B) 1; 2 C) 2; 3 D) 1; 3

63. Agar a natural sonni 36 ga bo'lganda bo'linma n, qoldiq n^2 ga teng bo'lsa, a sonning eng katta qiymatini toping.

- A) 160 B) 432 C) 205 D) 117

64. agar $27,3 \cdot 10^n = 0,0000273$ bo'lsa, n ni toping.

- A) -6 B) -7 C) -5 D) -4

65. Hisoblang: $\arcsin \sin 3$.

- A) $\frac{\pi}{2} - 3$ B) $\pi - 3$ C) 3 D) \emptyset

66. Hisoblang:

$\cos 1^\circ + \cos 2^\circ + \cos 3^\circ + \dots + \cos 179^\circ$.

- A) 1 B) -1 C) 0 D) $\cos 89^\circ$

67. Quyida keltirilgan tasdiqlardan qaysilari noto'g'ri?

1) Agar ikkita aylana radiuslari 3 va 5, ularning markazlari orasidagi masofa 1 ga teng bo'lsa, u holda bu aylanalarda kesishadi.

2) To'g'ri chiziqda yotmagan nuqta orqali o'tkazilgan to'g'ri chiziq, bu to'g'ri chiziqqa paralleldir.

3) Agar rombning burchaklaridan biri 90° ga teng bo'lsa, u holda bunday romb kvadratdir.

4) Agar ikkita aylanalarda radiuslari 5 va 7, ularning markazlari orasidagi masofa 3 ga teng bo'lsa, u holda aylanalarda umumiy nuqtaga ega emas.

- A) 1; 3 B) 2; 4 C) 1; 4 D) 2; 3

68. $40-35-13-1$ ifodaga qavslar qo'yilganda nechta turli xil natijalar olish mumkin?

- A) 7 B) 4 C) 5 D) 8

69. Ifodaning qiymatini toping. $\sqrt[3]{\frac{400\sqrt{23^2-17^2}}{\sqrt{0,6}}}$

- A) 18 B) 21 C) 19 D) 20

70. $\frac{8}{1+\frac{2}{x-1}}$ kasr ma'noga ega bo'lmaydigan barcha x lar yig'indisini toping?

- A) -1 B) 1 C) 0 D) -2

71. $2 < a < 9$ va $2 < b < 10$ bo'lsa, a va b butun sonlar

uchun $\frac{1+\frac{a}{b}}{1+\frac{b}{a}}$ kasrning eng katta qiymatini toping.

- A) $\frac{8}{3}$ B) 15 C) $\frac{7}{3}$ D) 7

72. a va b sonlar o'zaro tub sonlardir. Bu sonlarning eng kichik umumiy karralisi 500 ga teng bo'lsa, a+b ni toping.

- A) 129 B) 14 C) 100 D) 125

73. Birinchi quvurdan ikkinchi quvurga qaraganda ikki barobar ko'p suv oqadi. Ikkalasi birgalikda bo'sh hovuzni 12 soatda to'ldiradi. Birinchi quvur hovuzning uchdan bir qismini necha soatda to'ldiradi?

MATEMATIKA

- A) 4 B) 12 C) 9 D) 6
74. 1 dan boshlab ketma-ket natural sonlarning eng ko'pi bilan nechtasining yig'indisi 528 dan kichik bo'ladi?
A) 29 B) 32 C) 31 D) 30
75. Agar biror oyda 5 ta dushanba bo'lsa, shu oyda bo'la olmaydi.
A) 5 ta chorshanba B) 5 ta seshanba
C) 5 ta payshanba D) 5 ta shanba
76. Uch yashikda 85,6 kg meva bor. 2-yashikdagi meva 1-yashikdagi mevaning 0,8 qismini tashkil qiladi, 3-yashikda esa 2-yashikdagining 42,5% miqdorida meva bor. Uchunchi yashikda qancha meva bor?
A) 13,6 kg B) 13 kg C) 12,5 kg D) 14 kg
77. Arifmetik progressiyada $a_7 + a_{13} = 34$ va $a_5 + a_7 = 18$ bo'lsa, S_{24} ni toping?
A) 528 B) 488 C) 520 D) 498
78. Musbat hadli geometrik progressiyada $S_2 = 3$ $S_3 = 7$ bo'lsa $S_8 = ?$ ni toping?
A) 311 B) 288 C) 255 D) 256
79. Xitoy aholisining soni $1,2 \cdot 10^9$ kishini, Italiyaniki esa $5,8 \cdot 10^7$ kishini tashkil qiladi. Xitoy aholisining soni Italiya aholisining sonidan necha marta ko'p?
A) taxminan 23 marta B) taxminan 21 marta C) taxminan 22 marta D) taxminan 19 marta
80. $9 \cdot 950$ yozuvda yulduzchani shunday raqam bilan almashtiringki, hosil bo'lgan son 45 ga qoldiqsiz bo'linsin.
A) 2 B) 5 C) 6 D) 4
81. Imtihonda belgilangan har bir to'g'ri javobda 4 ball berilib, har bir noto'g'ri javob uchun 1 ball chegiriladi. Belgilanmagan javoblar uchun ball berilmaydi ham, chegirilmaydi ham. Agar 50 ta savolli testdan o'quvchi 153 ball to'plagan bo'lsa, u nechta savolga javob belgilamagan?
A) 5 ta yoki 8 ta B) 5 ta yoki 3 ta
C) 5 ta yoki 9 ta D) 3 ta yoki 8 ta
82. Arifmetik progressiya quyidagicha shart bo'yicha berilgan $a_1 = -3,1$; $a_{n+1} = a_n + 0,9$. Uning dastlabki 19 ta hadi yig'indisini toping.
A) 95 B) 99 C) 91 D) 92
83. Arifmetik progressiyada $a_{11} = 5a_7$ bo'lsa, uning dastlabki o'n bitta hadi yig'indisini toping.
A) 11 B) 22 C) 4 D) 0
84. Arifmetik progressiyaning barcha musbat hadlari yig'indisini toping. 11,2; 10,8; 10,4; ...
A) 162,4 B) 162 C) 162,8 D) 163,2
85. Uchta sonning uchinchi ikkinchisidan nechta ortiq bo'lsa, ikkinchisi birinchisidan shuncha ortiq. Bu sonlardan ikkita kichigining ko'paytmasi 165, ikkita kattasining ko'paytmasi 285 ekanligi ma'lum. Shu uchta sondan uchinchisini toping.
A) 13 B) 19 C) 15 D) 17

2019 TEST TOPSHIRIQLARI

86. Ayirmasi noldan farqli arifmetik progressiyada to'rtinchi hadidan o'n to'rtinchi hadigacha bo'lgan yig'indisi 55 ga teng. Arifmetik progressiyaning nechanchi hadi 5 ga teng bo'ladi?
A) 11 B) 9 C) 12 D) 10
87. Hovuzdagi suv bo'shatila boshlaganidan bir soat o'tgach, unda 400 m^3 suv qoldi va yana uch soat vaqt o'tgach esa 250 m^3 suv qoldi. Dastlab hovuzda qancha suv bo'lgan.
A) 450 B) 475 C) 600 D) 525
88. Hisoblang:
$$\left(\frac{\sqrt{6} + \sqrt{5}}{\sqrt{2} + 1} \cdot \frac{\sqrt{6} - \sqrt{5}}{\sqrt{2} - 1} \right) : \left(\frac{1}{\sqrt{3}} - \frac{\sqrt{3}}{9} + \frac{1}{\sqrt{27}} \right)$$

A) 1 B) $3\sqrt{3}$ C) $\sqrt{3}$ D) $\frac{\sqrt{3}}{3}$
89. Ahmad bir kun, Arslon ikki kun ishlaganda bir ishning $\frac{3}{8}$ qismini bajarishadi. Agar Ahmad uch kun, Arslon ikki kun ishlasa, aynan o'sha ishning $\frac{5}{8}$ qismini bajarishadi. Ahmad bir o'zi ushbu ishni necha kunda tamomlaydi?
A) 4 B) 10 C) 8 D) 9
90. $\log_{x^2} 13 = \log_{4-3x} 13$ tenglamaning ildizi 5 dan qancha kam.
A) 5 B) 4 C) 7 D) 9
91. Tenglamani yeching:
$$4\cos^2 x - 2\sin^2 x - 5\cos x - 4 = 0$$

A) $x = \pm \arccos\left(-\frac{2}{3}\right) + \pi n; n \in \mathbb{Z}$;
B) $x = \pm \arccos\left(-\frac{2}{3}\right) + 2\pi n; n \in \mathbb{Z}$;
C) $x = \arccos\left(-\frac{2}{3}\right) + \pi n; n \in \mathbb{Z}$;
D) $x = \pm \arccos\frac{2}{3} + \pi n; n \in \mathbb{Z}$;
92. $ax^2 - 3ax + a + 7 > 0$ tengsizlik x ning ixtiyoriy qiymatida o'rinli bo'ladigan barcha butun a larning o'rta arifmetigini toping.
A) 3 B) 1,5 C) 2 D) 2,5
93. Berilgan tengsizlikning butun ildizini toping.
$$\log_{\frac{1}{3}} \log_4(x^2 - 5) \geq 0 \text{ agar } x \leq -3$$

A) 2 B) 3 C) 4 D) 1
94. Diagonallari perpendikulyar bo'lgan to'g'riburchakli trapetsiyaning asoslari 2 va 8 ga teng. Trapetsiya yuzini toping.
A) 25 B) 16 C) 24 D) 20
95. Agar ABC uchburchakning AB va AC tomonlarida M va N nuqtalar olinib, ular tomonlarni mos ravishda $AM:BM=2:5$ va $AN:CN=4:5$ kabi nisbatda bo'lsa, CM to'g'ri chiziq BN kesmani qanday nisbatda bo'ladi?
A) 9:5 B) 12:7 C) 6:5 D) 9:2
96. Balandligi $\frac{\sqrt{5}}{3}$ bo'lgan 120° yoyli segmentga ABCD to'g'ri to'rtburchak shunday ichki chizilganki, bunda $AB:BC=1:4$ va BC tomon segment vatarida yotadi. To'g'ri to'rtburchak yuzini toping.
A) 1,2 B) 0,8 C) 1 D) 0,6

MATEMATIKA

97. A(-1;1) va B(5;-3) nuqtalar berilgan. Agar B nuqta AC kesmaning o'rtasi bo'lsa, C nuqta koordinatalari ayirmasining modulini toping.
A) 4 B) 16 C) 18 D) 25
98. Qutida "INFORMATIKA" so'zini hosil qiladigan harflar bor. Tavakkal tanlanganda "A" harfining chiqish ehtimolligini toping.
A) $\frac{1}{11}$ B) $\frac{2}{11}$ C) 11 D) $\frac{1}{22}$
99. Quyida keltirilgan tasdiqlardan qaysilari noto'g'ri?
1) Agar tekislikda ikkita to'g'ri chiziq uchinchi to'g'ri chiziq bilan kesishganda, mos burchaklari teng bo'lsa, u holda bu ikkita to'g'ri chiziq paralleldir.
2) Teng yonli uchburchakning ixtiyoriy balandligi uning bissektrisasi ham bo'ladi.
3) Agar rombning burchaklaridan biri 90° ga teng bo'lsa, u holda bunday romb - kvadratdir.
4) Agar to'rtburchakning ikki qarama qarshi tomonlari teng bo'lsa, u holda bunday to'rtburchak - parallelogrammdir.
A) 2; 3 B) 2; 4 C) 1; 3 D) 1; 4
100. Agar $\sqrt{\frac{2}{\sqrt{7}+\sqrt{5}} - \frac{3}{\sqrt{7}-2}} + a - 1$ ifodani qiymati 0 ga teng bo'lsa, a ni toping.
A) $\sqrt{5} - 3$ B) $3 + \sqrt{5}$ C) $3 - \sqrt{5}$ D) $\sqrt{3 + \sqrt{5}}$
101. Hisoblang. $(\log_2 7 + \log_7 16 + 4)(\log_2 7 - -2 \log_{28} 7) \cdot \log_7 2 - \log_2 7$
A) 4 B) 3 C) 2 D) 1
102. Tenglama nechta butun ildizlarga ega.
 $|x^2 - 2x - 15| = 2x - x^2 + 15$
A) 7 B) 8 C) 6 D) 9
103. $\log_{\frac{2}{7}}(7 - x^2) - 8 \log_{\frac{1}{7}}(7 - x^2) - 9 = 0$ tenglama nechta ildizga ega?
A) 1 B) 2 C) 3 D) 4
104. $\begin{cases} 2x + y = 7 \\ |x - y| = 2 \end{cases}$ tenglamalar sistemasining yechimlari sonini toping.
A) \emptyset B) 4 C) 2 D) 1
105. $x^7 \cdot |x^2 + 9x + 8| < 0$ tengsizlik $[-8;1]$ kesmada nechta butun yechimga ega?
A) 5 B) 8 C) 6 D) 7
106. $|x^2 + 2x| + |x^2 - 4| > 2|x^2 + x - 2|$ tengsizlikning barcha butun yechimlari yig'indisini toping.
A) -1 B) 2 C) 1 D) -3
107. $f(\varphi(x)) = \frac{x+2}{x-3}$, $\varphi(x) = 2x - 1$ bo'lsa, $f(x) = ?$
A) $f(x) = \frac{x+5}{2x-5}$ B) $f(x) = \frac{x-5}{x+5}$ C) $f(x) = \frac{x+5}{x-5}$
D) $f(x) = \frac{2x+5}{x-5}$
108. $\int (x+2)f^{-1}(x+1)dx = x^2 + 2x + C$, $C \in R$ tenglikni qanoatlantiruvchi $f(x)$ funksiya quyidagilardan qaysi biri bo'la oladi? Bu yerda $f^{-1}(x)$ funksiya $f(x)$ ga teskari funksiya.

2019 TEST TOPSHIRIQLARI

- A) $\frac{x}{2-x}$ B) $-\frac{x}{2+x}$ C) $\frac{x-2}{x+2}$ D) $-\frac{x}{2} + x$
109. ABCD trapetsiyaning AB yon tomoni 6 ga teng. Trapetsiyaning D va C uchlaridan bu tomon yotgan to'g'ri chiziqgacha masofalar 3 va 7 teng bo'lsa, trapetsiya yuzasini toping.
A) 25 B) 24 C) 30 D) 36
110. Agar to'g'ri to'rtburchakning perimetri 22 ga teng bo'lsa uning yuzasini eng katta qiymatini toping.
A) 30,25 B) 30 C) 32 D) 32,25
111. ABC uchburchakka tashqi chizilgan aylananing A nuqtani o'z ichiga olmagan BC yoyi o'rtasi M nuqta bo'lsin. AM kesma BC tomonini N nuqtada kesadi. Agar $AB=13$, $BC=10$ va $CA=12$ bo'lsa, $BN - NC$ ni hisoblang.
A) 0,6 B) 0,2 C) 0,4 D) 0,4
112. Radiusi $4\sqrt{2}$ ga teng bo'lgan sharga konus ichki chizilgan. Konusning yasovchisi asos tekisligi bilan 60° li burchak tashkil etadi. Konusning yon sirtini toping.
A) 24π B) 48π C) 54π D) 32π
113. Birhad va ko'phadlar uchun quyidagi tsdiqlarning qaysi biri noto'g'ri?
A) ko'phadning darajasi deb, shu ko'phad tarkibidagi birhadlarning eng katta darajasiga aytiladi.
B) ko'phadning darajasi deb, shu ko'phad tarkibidagi birhadlarning darajalari yig'indisiga aytiladi.
C) agar ko'phad tarkibida faqat 2 ta harf ishtirok etsa, ikki noma'lumli ko'phad deyiladi.
D) birhadning darajasi deb, uning tarkibidagi barcha harflar darajalarining yig'indisiga aytiladi.
114. $a+b-c=8$ va $ab-ac-bc=5$ bo'lsa $a^2 + b^2 + c^2$ ning son qiymatini toping.
A) 62 B) 55 C) 44 D) 54
115. Tenglamani yeching.
 $73 \cdot 10^{x+1} + 0,07 = 2^{x+5} \cdot 5^{x+2}$
A) 4 B) -1 C) -3 D) 3
116. a ning qanday eng katta butun qiymatida $3x^2 - 18x - 3 > a$ tengsizlik x ning barcha qiymatlarida o'rinli bo'ladi.
A) -31 B) -30 C) -29 D) -32
117. $\log_{x+8}(64 - x^2) - \frac{1}{16} \log_{x+8}^2(x - 8)^2 \geq 2$ tengsizlik nechta haqiqiy yechimga ega?
A) \emptyset B) 1 C) 2 D) cheksiz ko'p
118. Quyidagi chiziqlar bilan chagaralangan shaklning yuzini toping. $y=x^2$, $y=0$, $x=3$
A) 3 B) 9 C) 8 D) 6
119. Rombning tomoni diagonallari bilan 4:5 kabi nisbatda burchak tashkil qilsa, uning burchaklarini toping.
A) 84° va 105° B) 80° va 100° C) 88° va 92°
D) 108° va 72°

MATEMATIKA

120. Teng yonli uchburchakning asosi 8 sm ga , ton tomoni esa 5 sm ga teng. Bu uchburchakka tashqi chizilgan aylananing radiusini (sm) toping.

- A) $\frac{25}{6}$ B) $\frac{25}{4}$ C) $\frac{25}{3}$ D) $\frac{25}{8}$


121. Aylana to'g'ri burchakli uchburchakning katta katetiga urinib , shu katet qarshisidagi burchak uchidan o'tadi, markazi esa gipotenuzada yotadi. Agar katetlarining uzunliklari 5 va 12 bo'lsa, aylananing radiusini toping.

- A) $\frac{65}{18}$ B) $\frac{55}{18}$ C) $\frac{65}{36}$ D) $\frac{65}{9}$

122. Tennis turnirida 9 ta sportchi ishtirok etmoqda. Tennischilar necha xil usul bilan oltin, kumush va bronza medallarini yutish mumkin?

- A) 504 B) 990 C) 720 D) 360

123. Koordinata to'g'ri chizig'ida a nuqta belgilangan. Quyidagi tasdiqlardan qaysi biri bu son uchun to'g'ri hisoblanadi?



- A) $3-a < 0$ B) $a+4 > 0$ C) $a+5 < 0$ D) $2-a > 0$

124. 6 ga karrali bo'lmagan a va b juft sonlarini 6 ga bo'lganda har xil qoldiq qoladi. a+b sonini 6 ga bo'lganda qoldiq nechaga teng bo'ladi?

- A) 0 B) 4 C) 3 D) 2

125. Agar $x = \frac{4}{3}$ bo'lsa,

$(x-2)^3 + 3 \cdot (x-2)^2 + 3 \cdot (x-2) + 1$ ifodaning qiymatini toping.

- A) $-\frac{4}{27}$ B) $\frac{1}{27}$ C) $-\frac{1}{27}$ D) $\frac{8}{27}$

126. Tenglamani yeching. $3^{\log_2 50} \cdot x^{\log_2 9} = 3$

- A) 3 B) 0,3 C) 1 D) 0,2

127. $\sqrt{25-x^2} \leq \frac{12}{x}$ tengsizlikni yeching.

- A) (0;5] B) [0;3] \cup [4;5] C) (0;3] \cup [4;5] D) \emptyset

127. Ushbu $(x^2-x)(x^2-x-2) \leq 120$ tengsizlikni qanoatlantiruvchi eng katta va eng kichik butun sonlar ayirmasini toping.

- A) 6 B) 7 C) 5 D) 8

128. $y = \sqrt{\log_{\frac{1}{3}}(x^2-2x)} + 1$ funksiyaning aniqlanish sohasini toping.

- A) [-1;3] B) [-1;0] \cup (2;3] C) $(-\infty;0) \cup (2;\infty)$ D) $(-\infty;-1] \cup [3;\infty)$

129. Boshlang'ich funksiyaning umumiy ko'rinishini toping. $f(x) = \frac{1}{2x+1}$

- A) $2\ln|2x+1|+C$ B) $\ln|2x+1|+C$ C) $\frac{1}{2}\ln|2x+1|+C$ D) $-\frac{1}{2}\ln|2x+1|+C$

130. Agar qo'shni burchaklardan biri ikkinchisidan 40° ga katta bo'lsa, shu burchaklarni toping.

- A) 135° ; 75° B) 110° ; 70° C) 135° ; 45° D) 90° va 60°

2019 TEST TOPSHIRIQLARI

131. To'g'ri burchakli uchburchakning yuzi 9 ga va o'tkir burchagi 15° ga teng. Uchburchakning medianalar kesishish nuqtasidan gipotenuzagacha bo'lgan masofani toping.

- A) $\frac{\sqrt{3}}{2}$ B) $\frac{\sqrt{2}}{4}$ C) $\frac{\sqrt{2}}{2}$ D) $2\sqrt{2}$

132. Asosi 18 m va yon tomoni 15 m bo'lgan teng yonli uchburchak berilgan. Ichki chizilgan doiraning markazidan uchburchak tekisligiga uzunligi 6 m bo'lgan perpendikulyar chiqarilgan. Bu perpendikulyarning oxiridan uchburchakning tomonlarigacha bo'lgan masofani toping.

- A) 5,5 m B) 8 m C) 7,5 m D) 6 m

133. $\int \frac{2dx}{x \cdot \ln 2x}$ ni hisoblang.

- A) $4\ln \ln 2x + C$ B) $2\ln 2x + C$ C) $1,5\ln \ln 2x + C$ D) $2\ln \ln 2x + C$

134. ABC to'g'ri burchakli uchburchakda E nuqta BC tomonni BE:EC=3:1 kabi nisbatda bo'ladi, D nuqta esa AB gipotenuzada yotadi. Agar BD=8, AC=12 va burchak BAC= 60° bo'lsa, BDE uchburchak yuzini toping.

- A) 36 B) 48 C) $18\sqrt{3}$ D) $24\sqrt{3}$

135. ABCD to'rtburchak aylanaga ichki chizilgan. Agar burchak ABC= 105° , burchak CAD= 35° bo'lsa, burchak ABD ni toping. A) 75° B) 60° C) 70° D) 80°

136. Ifodani soddalashtiring.

$\sqrt[5]{b^5} - 2\sqrt[4]{b^4} + \sqrt[6]{b^6} - \sqrt[7]{b^7}$, bu yerda $b \geq 0$

- A) -2b B) 0 C) -b D) b

137. Tenglamani yeching: $-3\sin x = 0$

- A) $2\pi m, m \in \mathbb{Z}$ B) $\frac{\pi m}{-3}, m \in \mathbb{Z}$ C) $\pi m, m \in \mathbb{Z}$

- D) $\frac{2\pi m}{-3}, m \in \mathbb{Z}$

138. Ushbu $\sin 2x + 2\sin x = \cos x + 1$ tenglamaning $[-\pi; \pi]$ oraliqqa tegishli ildizlari soni nechta?

- A) 2 B) 4 C) 3 D) 1

139. $\sqrt{7 - \sqrt{7+x}} = x$ tenglamaning natural yechimlari nechta?

- A) 2 B) 0 C) 3 D) 1


140. $\log_{0,2}^2(x-1) > 4$ tengsizlikni yeching.

- A) $(26; \infty)$ B) $(1; 26)$ C) $(0; 1,04) \cup (5; \infty)$ D) $(1; 1,04) \cup (26; \infty)$

141. $f(x) = 19 - 7 \cdot \sqrt[3]{x^2}$ funksiyaning ekstremumini toping.

- A) 14 B) 19 C) -19 D) 26

142. $y=f(x)$ funksiya qiymatlar to'plamini toping?



- A) [-2;4] B) [-3;1] C) [-2;1] D) [-1;2]

MATEMATIKA

143. Boshlang'ich funksiyaning umumiy ko'rinishini toping. $f(x)=\sin^2x$

- A) $\frac{x-\sin 2x}{2} + c$ B) $\frac{2x-\sin 2x}{2} + c$ C) $\frac{2x+\sin 2x}{4} + c$
D) $\frac{2x-\sin 2x}{4} + c$

144. ABC teng yonli uchburchakka tashqi chizilgan aylananing AD vatari uning BC asosini E nuqtada kesib o'tadi. Agar $AE = 2\sqrt{3}$, $DE = \sqrt{3}$ bo'lsa, AB ni toping.

- A) $3\sqrt{2}$ B) $3\sqrt{6}$ C) $3\sqrt{3}$ D) 6

145. Agar $|a| \neq |b| \neq |c|$ va $\frac{a}{b+c} + \frac{b}{c+a} + \frac{c}{a+b} = 1$

$\left(\frac{a^2}{b+c} + \frac{b^2}{c+a} + \frac{c^2}{a+b}\right) : (a+b+c)$ ning qiymatini toping

- A) 0 B) 0,5 C) 1 D) 2

146. $4x^2 - 20x = 0$ tenglama ildizlarini toping.

- A) 0; 4 B) -4; 0 C) 0; 5 D) -5; 0

147. Ushbu $2x^3 + 3x^2 - 1 = 0$ tenglama katta ildizining kichik ildizga nisbatini toping.

- A) $\frac{1}{2}$ B) $-\frac{1}{2}$ C) -2 D) 2

148. $\sqrt{7 - \sqrt{7 + x}} = x$ tenglamaning haqiqiy yechimlari ko'paytmagini toping.

- A) 0 B) 2 C) 1 D) 4

149. $\frac{(x-1)(4-x)}{\sqrt{3+5x-2x^2}} > 0$ tengsizlikning yechimlari to'plamini toping.

- A) (1;3) B) (1;4) C) $(-\frac{1}{2}; 4)$ D) $(-\frac{1}{2}; 3)$

150. Ushbu $(x^2 + 3x + 1)(x^2 + 3x + 3) > 35$ tengsizlikni qanoatlantirmaydigan butun sonlar nechta.

- A) 4 ta B) 7 ta C) 6 ta D) 5 ta

151. $y=3x-3$ va $y=-0,5x-a$ funksiyalarning grafiklari a ning qanday qiymatlarida koordinatalar tekisligining I choragida kesishadi.

- A) $(-\frac{1}{2}; \infty)$ B) $(-\infty; -\frac{1}{2})$ C) hech qanday qiymatida kesishmaydi. D) $(-\infty; \frac{1}{2})$

152. $f(x) = x + e^{-3x}$ funksiya grafigiga o'tkazilgan urinma $y(x)=1-2x$ to'g'ri chiziqqa parallel. Urinish nuqta absissasini toping.

- A) -1 B) 1 C) 2 D) 0

153. ABC, PQR va XYZ uchburchaklar teng. Agar $AB=5$ sm, $QR=6$ sm va $ZX=7$ sm ekanliklari ma'lum bo'lsa, uchburchaklarning qolgan tomonlarini toping.

A) $BC=6$ sm, $CA=7$ sm, $PQ=5$ sm, $RP=7$ sm, $XY=5$ sm, $YZ=6$ sm

B) $BC=7$ sm, $CA=6$ sm, $PQ=5$ sm, $RP=7$ sm, $XY=6$ sm, $YZ=5$ sm

C) $BC=6$ sm, $CA=7$ sm, $PQ=7$ sm, $RP=6$ sm, $XY=6$ sm, $YZ=5$ sm

D) $BC=7$ sm, $CA=6$ sm, $PQ=7$ sm, $RP=5$ sm, $XY=5$ sm, $YZ=6$ sm

154. Teng yonli uchburchakning asosi 8 sm ga, yon tomonining medianasi esa 10 sm teng. Yon tomonini (sm) toping.

2019 TEST TOPSHIRIQLARI

- A) $4\sqrt{17}$ B) $2\sqrt{17}$ C) $4\sqrt{7}$ D) $6\sqrt{17}$

155. Parallelogrammning diagonallaridan biri uning yon tomoniga perpendikulyar va unga teng.

Parallelogrammning katta diagonali P tekislik bilan α burchak tashkil etadi. Agar $\cos \alpha = \sqrt{0,936}$ bo'lsa, parallelogramm tekisligi va P tekislik orasidagi ikki yoqli burchakning kosinusini toping.

- A) 0,6 B) 0,8 C) 0,2 D) 0,5

156. Agar $\vec{a} \cdot \vec{b} = 42$ bo'lsa, $\vec{b}(2; 3; -1)$ vektorga kollinear $\vec{a}(x; y; z)$ vektorning koordinatalari yig'indisini toping.

- A) 9 B) 10 C) 14 D) 12

157. Tenglamaning ildizlari yig'indisini toping.

$$\cos 2x \cdot \cos 3x = -1, x \in (0^0; 720^0)$$

- A) 540^0 B) 360^0 C) 720^0 D) 180^0

158. Tenglama haqiqiy ildizlarining yig'indisini toping.

$$144x^4 = (x^3 + 35x)^2$$

- A) 2 B) 0 C) -2 D) 4

159. Tenglmalar sistemasini yeching. $\begin{cases} 2^x + 2^y = 12 \\ x + y = 5 \end{cases}$

- A) (2;3); (3;2) B) (2;3); (-3;-2)

- C) (2;3); (2;2) D) (2;3)

160. $2x^3 + mx^2 - 13x + n = 0$ tenglamaning ildizlari $x_1 = 2$ va $x_2 = 3$ bo'lsa, uning uchinchi ildizini toping.

- A) 2,5 B) -1,5 C) 1,5 D) -2,5

161. $\ln(x+1) \geq 2$ tengsizlikning eng kichik butun qiymatini toping.

- A) 7 B) 8 C) 4 D) 3

162. $f(x) = 2x^6 - 7x^3 + 9$ funksiyaning eng kichik qiymatini toping.

- A) $3\frac{1}{4}$ B) $4\frac{1}{2}$ C) $-3\frac{1}{4}$ D) $2\frac{7}{8}$

163. $f(x) = 6x + \frac{6}{x}$ funksiyaning $(0; \infty)$ oraliqdagi eng kichik qiymatini toping.

- A) 13 B) 14 C) 11 D) 12

164. $\int_{-5}^3 |x-1| dx$ aniq integralni qiymatini toping.

- A) -4,5 B) 20 C) 18 D) 16

165. Agar to'g'ri burchakli uchburchak katetlarining gipotenuzaga tushirilgan proyeksiyalari 9 va 16 ga teng bo'lsa, unga ichki chizilgan doira yuzini toping.

- A) 75π sm² B) 25π sm² C) $12,5\pi$ sm² D) 50π sm²

166. Ikkita bir xil r radiusli aylana tashqi ravishda urinadi. Radiusi 8 ga teng bo'lgan uchunchi aylana bu aylanalarga tashqi ravishda A va B nuqtalarda urinadi.

Agar $AB=9$ bo'lsa, r ni toping.

- A) $\frac{72}{7}$ B) $\frac{48}{7}$ C) $\frac{72}{25}$ D) $\frac{36}{5}$

167. Oltiburchakli muntazam piramidaning apofemasi 2 ga teng. Asosidagi ikki yoqli burchak 60^0 ga teng.

Piramidaning to'la sirtini toping.

- A) $3\sqrt{3}$ B) $4\sqrt{3}$ C) $\frac{3\sqrt{3}}{2}$ D) $6\sqrt{3}$

MATEMATIKA

168. ABCDA₁B₁C₁D₁ to'g'ri burchakli parallelepipedda

$\overrightarrow{AD} = \vec{a}, \overrightarrow{AB} = \vec{b}, \overrightarrow{AA_1} = \vec{c}$ bo'lsa, $\overrightarrow{B_1D}$ vektorni

\vec{a}, \vec{b} va \vec{c} vektorlar orqali ifodalang.

- A) $\vec{a} - \vec{b} + \vec{c}$ B) $\vec{a} + \vec{b} + \vec{c}$ C) $\vec{a} - \vec{b} - \vec{c}$ D) $\vec{a} + \vec{b} - \vec{c}$

169. Quyidagi javoblardan qaysi biri bosh to'plam?

- A) $A = \{x: x^2 \leq 0, x \in R\}$
 B) $A = \{x: 3x + 5, x \in R\}$
 C) $A = \{x: x^2 \leq x, x \in R\}$
 D) $A = \{x: |2x - 3| = -4, x \in R\}$.

170. Hisoblang: $(2^2 + 6^2 + 10^2 + 14^2 + 18^2) - (1 + 5^2 + 9^2 + 13^2 + 17^2)$.

- A) 144 B) 95 C) 104 D) 128

171. Quyida keltirilgan tasdiqlardan qaysilari noto'g'ri?

- 1) Ixtiyoriy ikkita nuqta orqali to'g'ri chiziq o'tkazish mumkin. 2) Romning barcha burchaklari tengdir. 3) Agar aylananing yoyi 80° ni tashkil etsa, u holda shu yoyga tiralgan ichki chizilgan burchak 40° ga teng. 4) Agar uchburchakning tomonlari 4 va 5, ular orasidagi burchak 30° bo'lsa, u holda bu uchburchakning yuzi 5 ga teng.

- A) 1; 4 B) 1; 3 C) 2; 4 D) 2; 3

172. Hisoblang:

$1 \cdot 4 + 2 \cdot 7 + 3 \cdot 10 + \dots + 8 \cdot 25$.

- A) 720 B) 640 C) 648 D) 900

173. Agar $x^2 - 5x + 2 = 0$ bo'lsa, $x^2 + \frac{4}{x^2}$ ning son qiymatini toping.

- A) 15 B) 23 C) 21 D) 18

174. $a = 7\frac{2}{17}; b = 6\frac{15}{17}$ bo'lsa, $\frac{a^2 - b^2}{ab} : (\frac{1}{b} - \frac{1}{a})$ ifodaning qiymatini toping.

- A) 14 B) 10 C) 12 D) 16

175. Juft sonning o'zidan keyin keluvchi juft sonning uchlangani bilan yig'indisi 70 dan kichik. Ushbu shartni qanoatlantiruvchi juft sonlardan eng kattasini toping.

- A) 12 B) 16 C) 14 D) 8

176. Agar $2^x = 91$ bo'lsa $|x-8| + |x-6|$ ifodani soddalashtiring.

- A) -2 B) 2 C) $2x-14$ D) $14-2x$

177. Tenglamani yeching.

$\sqrt{2x^2 - 21x + 4} = 2 - 11x$

- A) -2 B) -3 C) 1 D) 0

178. $\frac{3x^2 - 16x + 21}{\log_{0,3}(x^2 + 6)} < 0$ tengsizlikni yeching.


- A) $(\frac{7}{3}; 3)$ B) $(-\infty; \frac{5}{3}) \cup (3; \infty)$ C) $(3; \infty)$ D) $(-\infty; \frac{7}{3}) \cup (3; \infty)$

179. $x^2 - 6ax - (2 - 3a)(2 + 3a) < 0$ tengsizlikni yeching.

- A) $(3a-2; 3a+2)$ B) $(-\infty; 3a-2) \cup (3a+2; \infty)$
 C) $(-\infty; 2-3a) \cup (2+3a; \infty)$ D) $(2-3a; 2+3a)$

180. Grafik ko'rinishda berilgan funksiya qiymatlar to'plamini toping.

2019 TEST TOPSHIRIQLARI



- A) [-2; 2] B) [-2; 3] C) (-2; 3) D) (-4; 4]

181. $\int_{-1}^0 (bx + a) dx = 10$ tenglik o'rinli bo'lsa, $b-2a$ ni qiymatini toping.

- A) -30 B) -20 C) -40 D) -10

182. Teng yonli ABC uchburchakda $AC=2; BA=BC=4$; AN va CM bissektrisalar. MN kesma uzunligi toping.

- A) $\frac{5}{3}$ B) $\frac{5}{4}$ C) $\frac{4}{3}$ D) $\frac{3}{2}$

183. Muntazam uchburchakka tomoni 4 ga teng bo'lgan kvadrat ichki chizilgan. Uchburchakning yuzini toping.

- A) $\frac{2(7\sqrt{3}+12)}{3}$ B) $\frac{8(7\sqrt{3}+12)}{3}$ C) $\frac{4(7\sqrt{3}+12)}{3}$ D) $\frac{(7\sqrt{3}+12)}{6}$

184. O'lchamlari 80x20x5 sm bo'lgan to'g'ri burchakli parallelepiped shaklidagi mis g'o'lasidan qalinligi 1 mm bo'lgan tunuka taxtasi tayyorlandi. Bu tunuka taxtaning yuzini toping.

- A) 0,8 m² B) 80 m² C) 8 m² D) 80 sm²

185. Do'konda 7 xil pidjak, 5 xil shim va 4 xil galstuk sotilmoqda. Pidjak, shim va galstukdan iborat komplektni nechta usul bilan sotib olsa bo'ladi.

- A) 155 B) 148 C) 146 D) 140

186. Agar $x\sqrt{x} - 9\sqrt{x} = 8$ bo'lsa, $x - \sqrt{x}$ ning qiymatini toping.

- A) 3 B) 7 C) 6 D) 8

187. Agar $x = \sqrt{42 - \sqrt{42 - \sqrt{42 - \dots}}}$,

$y = \sqrt{x + \sqrt{x + \sqrt{x + \dots}}}$

$z = \sqrt{y\sqrt{y\sqrt{y\dots}}}$ bo'lsa, $x + y + z$ ning qiymatini toping.

- A) 11 B) 14 C) 10 D) 12

188. $a \cdot b \cdot c = 4$ bo'lsa,

$(\frac{1}{a} - b \cdot c) \cdot (\frac{2}{b} - a \cdot c) \cdot (\frac{3}{c} - a \cdot b)$. Ko'paytmaning qiymatini.

- A) $\frac{2}{3}$ B) $-\frac{3}{2}$ C) 1 D) $-\frac{5}{3}$

189. Nuqtalar o'rniga to'g'ri javobni tanlang.

To'g'ri burchakli uchburchak α o'tkir burchagi... deb shu burchakka yopishgan katetning gipotenuzaga nisbatiga aytiladi.

- A) sinusi B) tangensi C) kosinusi D) kotangensi

190. Agar $a < 0, b < 0, c > 0$ bo'lsa, $\sqrt{b^2} + |b - c| - |c - a| + b$ ifodani soddalashtiring.

- A) $a-2b$ B) $a-2b+c$ C) $-a$ D) $a-b$

191. a manfiy bo'lsa, ifodani soddalashtiring.

$\sqrt[3]{54a^{\frac{1}{3}}} \cdot \sqrt[3]{24a^{\frac{2}{3}}}$

MATEMATIKA

A) $6a\sqrt[3]{6}$ B) $6a^{\frac{2}{3}}$ C) $12a$ D) $12a^{\frac{2}{3}}$

192. Tenglama ildizlarining to'rtinchi darajali

yig'indisini toping. $x^2 - 2x - 2 = 0$

A) 56 B) 48 C) 64 D) 54

193. Ildizlari $\frac{1}{10-\sqrt{72}}$ va $\frac{1}{10+6\sqrt{2}}$ ga teng bo'lgan ratsional

koeffitsentli kvadrat tenglama tuzing.

A) $28x^2 - 20x + 1 = 0$ B) $7x^2 - 20x + 1 = 0$

C) $28x^2 - 20x + \frac{1}{4} = 0$ D) $7x^2 - 5x + 1 = 0$

194. $(x^2 - 6x)^2 - 5(x - 3)^2 - 59 = 0$ tenglamaning

butun sonlardan iborat yechimlari nechta.

A) \emptyset B) 2 ta C) 4 ta D) 1 ta

195. Tengsizlikni yeching. $||x|-2|\leq 1$

A) $[1;3]$ B) $[3;\infty)$ C) $[-3;-1]\cup[1;3]$

D) $(-\infty;3]\cup[-1;1]$

196. Qaysi son $y = 3^{x-1} + 5$ funksiya qiymati bo'la oladi.

A) 2 B) 9 C) 3 D) 5

197. Aniq integralni qiymatini toping.

$\int_{-2}^1 |x^2 - x| dx$

A) $5\frac{1}{6}$ B) $4\frac{1}{6}$ C) $4\frac{5}{6}$ D) $5\frac{2}{3}$

198. Teng yonli uchburchakning asosiga tushirilgan balandligi 3 ga, yon tomoniga tushirilgan balandligi 4 ga teng. Uchburchak yuzini toping.

A) $2\sqrt{5}$ B) $3,2\sqrt{5}$ C) $3\sqrt{5}$ D) $3,6\sqrt{5}$

199. Bir nuqtadan aylana ikkita urinma o'tkazilgan.

Har bir urinmaning uzunligi 12 sm, urinish nuqtalari orasidagi masofa 14,4 sm. Aylana uzunligini toping.

A) 16π sm B) 24π sm C) 18π sm D) 20π sm

200. Piramida asosi tomonlari 12, 20 va 16 ga teng bo'lgan uchburchakdan iborat. Piramidaning barcha ikkiyoqli burchaklari 30° ga teng bo'lsa. Uning hajmini (sm^3) toping.

A) $\frac{128\sqrt{3}}{3}$ B) $\frac{256\sqrt{3}}{3}$ C) 320 D) 960

201. 1, 2, 3, 4, 5, 6, 7 raqamlardan foydalangan holda, nechta turli ikki xonali har xil raqamlardan iborat sonlar hosil qilish mumkin?

A) 24 B) 84 C) 210 D) 42

202. To'g'ri berilgan integrallash formulalarni tanlang.

1) $\int \sin(b - kx) dx = -\frac{1}{k} \cdot \cos(b - kx) + c$

2) $\int \cos(b - kx) dx = -\frac{1}{k} \cdot \sin(b - kx) + c$

3) $\int tg^2 x dx = tgx - x + c$

A) 1; 3 B) 2; 3 C) 1; 2; 3 D) 1; 2

203. $\sqrt{3x + 2y - 13} + \sqrt{4x - y - 10} = 0$ bo'lsa, x va y sonlarining ko'paytmasini toping.

A) 8 B) -2 C) -4 D) 6

204. $y = x^2$ parabola grafigini o'ngga ikki birlik, yuqoriga uch birlik siljitish(parallel ko'chirish) natijada hosil bo'lgan parabola tenglamasini yozing.

2019 TEST TOPSHIRIQLARI

A) $y = x^2 - 4x + 7$ B) $y = x^2 - 4x + 3$

C) $y = x^2 + 4x + 7$ D) $y = 2x^2 + 3$

205. Agar $0 < \alpha, \beta < \frac{\pi}{2}$, $tg\alpha = \frac{\sqrt{3-\sqrt{3}}\sqrt{3}}{4-\sqrt{3-\sqrt{3}}}$ va

$tg\beta = \frac{\sqrt{3-\sqrt{3}}-1}{\sqrt{3}}$ bo'lsa, $\alpha - \beta$ ni toping.

A) $\frac{\pi}{4}$ B) $\frac{\pi}{6}$ C) $\frac{\pi}{3}$ D) $\frac{\pi}{12}$

206. Ifodani qiymatini $a = 18\sqrt{2}$ bo'lganda hisobla.

$\left((\sqrt{a^3 a^{-3}} - \sqrt{27 a^{-3}}) : \left(\frac{a^2 + 9}{3a} + 1 \right) \right) \frac{(a-3)^{-1}}{(6a^3)^{-\frac{1}{2}}} - 6$

A) 30 B) -42 C) 42 D) 36

207. Hisoblang.

$2^{\frac{1}{2 \log_5 2}} \cdot 5^{\log_5 2} - \sqrt{5} \cdot 2^{\log_5 2} - \left(\frac{1}{3}\right)^{\log_3 25}$

A) 0,04 B) -0,4 C) 0,4 D) -0,04

208. Tenglamani yeching. $2\sin 5x - \sqrt{2} = 0$

A) $(-1)^n \frac{\pi}{20} + \pi n, n \in Z$ B) $\pm \frac{\pi}{20} + 2\pi n, n \in Z$

C) $(-1)^n \frac{\pi}{20} + \frac{\pi n}{5}, n \in Z$ D) $\pm \frac{\pi}{20} + \frac{2\pi n}{5}, n \in Z$

209. $(x^2 - 5x + 4) \cdot \ln(5 - x^2) = 0$ tenglamaning ildizlari ko'paytmasini toping.

A) -2 B) 4 C) -4 D) 10

210. $\frac{7x+1}{x^2+4x+3} > 1$ tengsizlikni qanoatlantiruvchi butun sonlar soni x_0 bo'lsa, $x_0 + 2$ ni toping.

A) 2 B) 3 C) 5 D) 4

211. $y = x^2 - |2x - 4|$ funksiya grafigiga $x=3$ va $x=-3$ nuqtalarda o'tkazilgan urunmalarning kesishish nuqtasi ordinatasini toping.

A) -6 B) -5 C) -12 D) -9

212. $\int \frac{dx}{x \cdot \ln 2x}$ ni hisoblang.

A) $2 \ln \ln 2x + c$ B) $\ln \ln 2x + c$

C) $\frac{1}{2} \ln \ln 2x + c$ D) $\ln 2x + c$

213. $|x^2 + 2x| + |x^2 - 4| > 2|x^2 + x - 2|$ tengsizlikning barcha butun yechimlari yig'indisini toping.

A) 2 B) -3 C) -1 D) 1

214. $y=50x+79$ to'g'ri chiziqqa parallel bo'lgan, $y=kx-4,7$ to'g'ri chiziqqa tegishli nuqtani toping.

A) (1;3) B) (0,1;0,3) C) (0,3;0,1) D) (0,125;2,2)

215. Perimetri 12 sm ga teng bo'lgan uchburchak o'rtalari kesmalar orqali tutashtirildi. Hosil bo'lgan uchburchak perimetrini toping.

A) 6 sm B) 7 sm C) 8 sm D) 9 sm

216. Birinchi quvurdan ikkinchi quvurga qaraganda ikki barobar ko'p suv oqadi. Ikkalasi birgalikda bo'sh hovuzni 12 soatda to'ldiradi. Birinchi quvur hovuzning uchdan bir qismini necha soatda to'ldiradi.

A) 12 B) 4 C) 6 D) 9

217. 1, 8, 27, 64, 125, ... ketma ketlikning 10- hadini toping.

A) 1331 B) 512 C) 729 D) 1000

218. Hisoblang. $1 \cdot 4 + 2 \cdot 7 + 3 \cdot 10 + \dots + 10 \cdot 31$

A) 1210 B) 1200 C) 1440 D) 900

219. Hisoblang $tg 20^\circ + 4 \sin 20^\circ$

- A) $\frac{\sqrt{3}}{3}$ B) 1 C) $\sqrt{3}$ D) 2

220. Parallelogrammning bir tomoni ikkinchi tomonidan ikki marta katta, o'tkir burchagi 60° ga teng. Parallelogrammning katta tomonlaridan biri P tekislikda yotadi va katta diagonali ushbu tekislik bilan

α burchak tashkil etadi. Agar $\cos\alpha = \sqrt{\frac{103}{112}}$ bo'lsa,

parallelogram tekisligi va P tekislik orasidagi ikki yoqli burchakning kosinusini toping.

- A) 0,5 B) 0,1 C) 0,75 D) 0,25

221. Ifodani soddalashtiring: $\frac{1}{(n+4)!} - \frac{1}{(n+5)!}$

- A) $\frac{n+4}{(n+5)!}$ B) $\frac{1}{(n+4)!(n+5)!}$ C) 0 D) $\frac{(n+4)!}{(n+5)!}$

222. Quyidagi keltirilgan tasdiqlardan qaysilari noto'g'ri?

1) Trapetsiyaning diagonallari kesishadi va kesishish nuqtasida teng ikkiga bo'linadi. 2) Agar tekislikda ikkita to'g'ri chiziq uchinchi to'g'ri chiziq bilan kesishganda hosil bo'lgan mos burchaklari 65° ga teng bo'lsa, u holda bu ikki to'g'ri chiziq paralleldir. 3) Teng yonli uchburchakning ixtiyoriy balandligi uning bissektrisasi ham bo'ladi. 4) Ixtiyoriy uchta nuqta orqali ko'pi bilan bitta to'g'ri chiziq o'tkazish mumkin.

- A) 1, 3 B) 1, 4 C) 2, 3 D) 2, 4

223. Agar $x < -2$ bo'lsa, $\sqrt{x^2 + 7x + 2} + \sqrt{4 - 12x + 9x^2}$ ifodani hisoblang.

- A) $2-x$ B) $-x-2$ C) $x+2$ D) $-2x$

224. Tenglamani yeching. $6\sin^2x + 13\sin x + 5 = 0$

- A) $x = -\frac{\pi}{6} + \pi n; x = \frac{\pi}{6} + 2\pi n, n \in \mathbb{Z}$

- B) $x = -\frac{\pi}{3} + 2\pi n; x = \frac{7\pi}{5} + 2\pi n, n \in \mathbb{Z}$

- C) $x = -\frac{\pi}{6} + 2\pi n; x = \frac{7\pi}{6} + 2\pi n, n \in \mathbb{Z}$

- D) $x = -\frac{\pi}{6} + \frac{\pi n}{2}; x = \frac{7\pi}{6} + \pi n, n \in \mathbb{Z}$

225. $(5x-1)(2x-5)^2 = (4x^2-25)(x-0,2)$ tenglama ildizlari yig'indisini toping.

- A) $6\frac{1}{4}$ B) $6\frac{1}{2}$ C) $6\frac{9}{20}$ D) $2\frac{7}{10}$

226. $\frac{2}{x^2-4} + \frac{x-4}{x^2+2x} = \frac{1}{x^2-2x}$ tenglamaning barcha ildizlari yig'indisini (agar u bitta bo'lsa, shu ildizni o'zini) toping.

- A) -5 B) 4 C) 5 D) 3

227. $\frac{|x-2|}{x^2+3x-10} \geq 2$ tengsizlikni yeching.

- A) $[-5,5;2)$ B) $[0;\infty)$ C) $[-5,5;-5) \cup (-5;-4,5]$

- D) $[-5,5;-5)$


228. Quyida keltirilgan tasdiqlardan qaysilari noto'g'ri?

1) Agar parallelogrammning diagonallari teng bo'lsa, u holda parallelogram to'g'ri to'rtburchakdir. 2) Aylanaga tashqi chizilgan ko'pburchakning yuzi, uning perimetri va aylana radiusi ko'paytmasiga teng. 3) Agar aylananing yoyi 80° ni tashkil etsa, u holda shu yoyga tiralgan ichki chizilgan burchak 40° ga teng.

4) Trapetsiyaning yuzi balandligining yarmi va asoslari yig'indisi ko'paytmasiga teng.

- A) 2; 4 B) 2; 3 C) 1; 4 D) 1; 3

229. Juft funksiyani toping.



230. Moddiy nuqta yurgan yo'li quyidagi qonuniyat bo'yicha o'zgarib bormoqda. $S(t) = \frac{t^4}{4} - \frac{t^3}{3} + t^2 + 1$ (m).

Harakat boshlangandan so'ng 4-sekund oxirida uning oniy tezligi necha m/s bo'ladi.

- A) 52 B) 54 C) 56 D) 48

231. Ikkita katetdan teng uzoqlikda joylashgan hamda gipotenuzada yotgan nuqta gipotenuzani 20 va 30 sm uzunlikdagi kesmalarga ajratadi. Uchburchakning kichik ketetini toping.

- A) $\frac{100}{\sqrt{39}}$ sm B) $\frac{100}{\sqrt{13}}$ sm C) $\frac{200}{\sqrt{13}}$ sm D) $\frac{100}{\sqrt{26}}$ sm

232. Barcha qirralari $\sqrt{1,5}$ ga teng bo'lgan uchburchakli piramidaga ichki chizilgan shar radiusini toping.

- A) 0,25 B) 0,5 C) 1 D) 2,5

233. $\frac{(3x+7)^2 - (3x-7)^2}{x}$ kasrni qisqartiring.

- A) 44 B) 14 C) 40 D) 84

234. $\left(a^{\frac{1}{3}} + b + \frac{4b^2 - a^{\frac{2}{3}}}{\sqrt[3]{a-b}}\right) : \left(\frac{a^{\frac{1}{3}}}{\sqrt[3]{a^2 - b^2}} - \frac{2}{\sqrt[3]{a+b}} + \frac{1}{\sqrt[3]{a-b}}\right) \cdot \frac{2}{a^{\frac{1}{3}+b}}$

- A) 2b B) $b \cdot (b - a^{\frac{1}{3}})$ C) $2b \cdot (a^{\frac{1}{3}} + b)$ D) b

235. Tenglamani yeching. $9 - 8 \cdot \sqrt[6]{x} - \sqrt[3]{x} = 0$

- A) 1 B) 3 C) -1 D) 0

236. Tenglamaning ildizlar ko'paytmasini toping.

$$5^{-2 \log_{0,04}(3-4x^2)} + 1,5 \log_{\frac{1}{8}} 4^x = 0$$

- A) 1/3 B) 1/6 C) 1/2 D) $\frac{3}{4}$

237. Tenglamalar sistemasini yeching.

$$\begin{cases} x + y + xy = 0 \\ x^3 + y^3 + x^3y^3 = 12 \end{cases}$$

- A) $(1; \sqrt{3}); (\sqrt{3}; 1)$ B) $(1 - \sqrt{3}; 1 + \sqrt{3})$

- C) $(1 + \sqrt{3}; 1 + \sqrt{3}); (1 - \sqrt{3}; 1 - \sqrt{3})$

- D) $(1 + \sqrt{3}; 1 - \sqrt{3}); (1 - \sqrt{3}; 1 + \sqrt{3})$

238. Integralni hisoblang. $3 \cdot \int_{-1}^3 \frac{1}{\sqrt{2x+3}} dx$

MATEMATIKA

- A) 4 B) 3 C) 9 D) 6

239. To'g'ri burchakli uchburchakning yuzi 18 ga va o'tkir burchagi 15° ga teng. Uchburchakning medianalar kesishish nuqtasidan gipotenuzagacha bo'lgan masofani toping.

- A) 2 B) 0,8 C) 1 D) 1,5

240. Barcha qirralari teng bo'lgan uchburchakli piramidaga ichki chizilgan shar radiusi $\frac{2\sqrt{2}}{\sqrt{3}}$ ga teng.

Piramida qirralari uzunligini toping.

- A) 16 B) 4 C) 8 D) 2

241. Agar $A(-2;1)$ va $B(\alpha;-6)$ nuqtalar O_y o'qiga parallel ravishda o'tuvchi bir to'g'ri chiziqqa tegishli bo'lsa, a ning qiymatini toping.

- A) -1 B) 2 C) 1 D) -2

242. Agar $A \cap B = \{b, c, d\}$ va $A \cap B = \{a, d\}$ bo'lsa, $A \cap (B \cup C)$ to'plam elementlarini toping.

- A) $\{c, d\}$ B) $\{b\}$ C) $\{a, c, d\}$ D) $\{a, b, c, d\}$

243. To'g'ri javobni toping.

1) agar $a < 0$ bo'lsa, $a + \frac{1}{a} \leq -2$ bo'ladi.

2) agar a va b bir xil ishorali bo'lsa, $\frac{a}{b} + \frac{b}{a} \geq 2$ bo'ladi.

3) agar a va b bir xil ishorali bo'lsa, $\frac{a}{b} + \frac{b}{a} \leq -2$ bo'ladi.

- A) 2 ; 3 B) 1 ; 3 C) 1 ; 2 ; 3 D) 1 ; 2

244. To'g'ri berilgan integrallash formulalarini tanlang.

1) $\int x^p dx = \frac{x^{p+1}}{p+1} + C, p \neq -1$

2) $\int (b - kx)^p dx = -\frac{(b - kx)^{p+1}}{k(p+1)} + C, p \neq -1$

3) $\int g^p(x) \cdot g'(x) dx = \frac{g^{p+1}(x)}{(p+1)} + C, p \neq -1$

- A) faqat 2 ; 3 B) faqat 1 ; 3 C) 1 ; 2 ; 3 D) faqat 1 ; 2

245. Quyidagi tasdiqlardan qaysilari to'g'ri.

1) muntazam uchburchakka ichki va tashqi chizilgan aylanalarning markazlari ustma-ust tushadi.

2) Muntazam uchburchakka ichki chizilgan aylana markazi uning balandligining o'rtasida yotadi.

3) Muntazam uchburchakka tashqi chizilgan aylana markazi uning balandligining o'rtasida joylashgan.

- A) 1 ; 3 B) 1 C) 1 ; 2 ; 3 D) 2 ; 3

246. Ifodani qiymatini $a=22$ bo'lganda toping.

$$\left(\frac{1}{a+3} - \frac{6}{9-a^2}\right) \cdot \left(\frac{a^2-6a-27}{(a^2-9)(a-3)^2} + \frac{12}{a^3-9a^2+27a-27}\right)$$

- A) 14,44 B) -14,4 C) 14,4 D) -14,44

247. Hisoblang. $(\log_2 7 + \log_7 16 + 4)(\log_2 7 - 2 \log_{28} 7) \log_7 2 - \log_2 7$

- A) 1 B) 4 C) 3 D) 2

248. Tenglamani yeching.

$$\lg(x^2 - 3x + 1) \cdot \lg(x - 1) = 0$$

- A) 2 B) 3 C) 12 D) 10

249. Toq sonning o'zidan keyin keluvchi uchta toq son bilan yig'indisi 51 dan katta. Ushbu shartni qanoatlantiruvchi eng kichik toq sonni toping.


2019 TEST TOPSHIRIQLARI

- A) 9 B) 11 C) 15 D) 13

250. $x = (0,6+0,06) \cdot (0,6-0,06) + (0,8+0,08) \cdot (0,8-0,08)$ bo'lsa, eng kichik sonni aniqlang.

- A) $\sqrt[3]{x}$ B) \sqrt{x} C) x^3 D) x^2

251. Toq ham, juft ham bo'lmagan funksiyani ko'rsating.



252. $\int_0^1 x(x+3)(2x-1) dx$ integralni hisoblang.

- A) $\frac{1}{3}$ B) $-\frac{1}{3}$ C) $-\frac{2}{3}$ D) $\frac{2}{3}$

253. Katetlari 24 sm va 18 sm bo'lgan to'g'ri burchakli uchburchak o'tkir burchaklarining bissektrisalarini toping.

- A) $9\sqrt{10}$ sm; $8\sqrt{10}$ sm B) $9\sqrt{5}$ sm; $8\sqrt{10}$ sm
C) $9\sqrt{10}$ sm; $8\sqrt{5}$ sm D) $8\sqrt{5}$ sm; $10\sqrt{5}$ sm

254. N nuqta teng yonli ABCD trapetsiya AB yon tomonining o'rtasi. Agar $AN=2$, $\angle CND=90^\circ$ bo'lsa, trapetsiya perimetrini toping?

- A) 12 B) 16 C) 10 D) 14

255. Parallelogrammning o'tkir burchagi 60° . Agar uning diagonallari nisbati $\sqrt{\frac{19}{39}}$ ga teng bo'lsa,

parallelogrammning tomonlari nisbatini toping.

- A) 2:5 B) 3:5 C) 2:3 D) 3:4

256. O'n burchakli muntazam prizmaning asosiga perpendikulyar nechta diagonal kesimi mavjud.

- A) 50 B) 35 C) 45 D) 55

257. Javonda 11 ta kitob bor. Diyora javondan 4 ta kitobni necha xil usul bilan olishi mumkin.

- A) 990 B) 330 C) 462 D) 495

258. To'g'ri berilgan integrallash formulalarini tanlang.

1) $\int \cos^2 x dx = \frac{1}{2}x + \frac{1}{4}\sin 2x + C$

2) $\int \operatorname{ctg}^2 x dx = -\operatorname{ctg} x + x + C$

3) $\int \operatorname{tg}^2 x dx = \operatorname{tg} x - x + C$

- A) 2 ; 3 B) 1 ; 2 ; 3 C) 1 ; 3 D) 1 ; 3

259. $\sin 2\alpha - \sin 3\alpha - \sin 4\alpha + \sin 5\alpha$ ifodani ko'paytma shaklida ifodalang.

- A) $-4\sin \frac{7\alpha}{2} \sin \frac{\alpha}{2} \sin \alpha$ B) $-4\sin \frac{7\alpha}{2} \cos \frac{\alpha}{2} \sin \alpha$

MATEMATIKA

C) $-4\cos\frac{7\alpha}{2}\sin 2\alpha\sin\alpha$ D) $-4\sin\frac{7\alpha}{2}\cos 2\alpha\sin\alpha$

260. $= 5 + 3\sqrt{6}$; $y = 2 - \sqrt{6}$ bo'lsa, $\frac{x^2}{x^2-3xy} : \frac{x}{x^2-9y^2}$

ifodaning qiymatini toping.

A) 12 B) 11 C) 9 D) 10

261. Ifodani soddalashtiring.

$$\frac{\frac{1}{a^3}\cdot c^2 - 3b^{\frac{1}{2}}}{(c^2+3)\cdot(a^{\frac{1}{3}}+\sqrt{b})} + \frac{3a^{\frac{1}{3}}+b^{\frac{1}{2}}\cdot c^2}{(c^2-3)\cdot(a^{\frac{1}{3}}+\sqrt{b})}$$

A) $\frac{c^4+3}{c^4-3}$ B) $\frac{c^4-9}{c^4+9}$ C) $\frac{c^4+9}{c^4-9}$ D) $\frac{9}{c^4-9}$

262. $\frac{(5^x-25)\cdot(7^x-7)}{\sqrt{7-5x}} = 0$ tenglamani ildizi 5 dan qancha

kam.

A) 8 B) 6 C) 4 D) 10

263. Tenglamani yeching. $\sqrt{x+2} - \sqrt{x-1} = 1$

A) 3 B) 1 C) 2 D) 0

264. $\sqrt{25-x^2} \leq \frac{12}{x}$ tengsizlikni qanoatlantiradigan

butun sonlar yig'indisini toping.

A) 14 B) 12 C) 15 D) 10

265. $6 \cdot (\sqrt{8+x} - \sqrt{5-x}) \leq \sqrt{(8+x)(5-x)}$

tengsizlikni qanoatlantiradigan butun ildizlari

ko'paytmasini toping.

A) 0 B) 120 C) 560 D) 360

266. $|x^2 + 7x + 10| + |x^2 - 4| > |2x^2 + 7x + 6|$

tengsizlikning barcha butun yechimlari yig'indisini toping.

A) -9 B) -10 C) -7 D) -6

267. $y = (1 + ctg^2x)\sin^2x + \frac{2\sin 2x}{\cos x}$ funksiyaning

qiymatlari sohasini toping.

A) $[-1;1) \cup (1;3]$ B) $[-1;3]$ C) $[-3;5]$ D) $(-3;1) \cup (1;5)$

268. $x=1$, $y=3^x$, $y=3^{-x}$ funksiya bilan

chegaralangan sohaning yuzini toping.

A) $\log_3 e^{\frac{4}{3}}$ B) $-\log_3 e^{\frac{4}{3}}$ C) $\log_3 e^{\frac{2}{3}}$ D) $\log_3 2e$

269. ABCD trapetsiyaning AB yon tomonning o'rtasidan

CD tomonga parallel qilib to'g'ri chiziq o'tkazilgan

bo'lib, AD katta asosni G nuqtada kesib o'tadi. Agar

AG=5 dm va GD=2,5 m bo'lsa, trapetsiyaning asoslarini toping.

A) 2 m; 1 m B) 3 m; 1 m C) 4 m; 1 m D) 3 m; 2 m

270. Aylana to'g'ri burchakli uchburchakning katta

katetiga urinib, shu katet qarshisidagi burchak uchidan

o'tadi, markazi esa gipotenuzada yotadi. Agar

katetlarning uzunliklari 10 va 24 bo'lsa, aylananing

uzunligini toping.

A) $\frac{65}{18}\pi$ B) $\frac{130}{9}\pi$ C) $\frac{260}{9}\pi$ D) $\frac{65}{9}\pi$

271. $(x) = \frac{x^2+4x-5+(x-5)\sqrt{x^2-1}}{x^2-4x-5+(x+5)\sqrt{x^2-1}}$, $x > 1$. Ifodani

soddalashtiring.

A) $f(x) = \sqrt{\frac{x-1}{x+1}}$

B) $f(x) = \sqrt{\frac{x+1}{x-1}}$

2019 TEST TOPSHIRIQLARI

C) $f(x) = 1$ D) $f(x) = 0$

272. Agar $\sqrt{24-t^2}$ va $\sqrt{8-t^2}$ ifodaning ayirmasi 2 ga teng bo'lsa, u holda ularning yig'indisi nimaga teng bo'ladi.

A) 7 B) 8 C) 9 D) 10

273. $tg 2\alpha + ctg 2\alpha + tg 6\alpha + ctg 6\alpha$ soddalashtiring.

A) $\frac{6\cos^2 12\alpha}{\sin 12\alpha}$ B) $\frac{8\cos^2 12\alpha}{\sin 12\alpha}$ C) $\frac{8\cos^2 4\alpha}{\sin 12\alpha}$ D) $\frac{6\cos^2 4\alpha}{\sin 12\alpha}$

274. $\cos\left(\frac{\pi}{6} - \frac{\alpha}{4}\right) \sin\left(\frac{\pi}{3} - \frac{\alpha}{4}\right) \sin\frac{\alpha}{4}$ soddalashtiring.

A) $\frac{1}{2} \sin \frac{3\alpha}{2}$ B) $\frac{1}{2} \sin \frac{3\alpha}{4}$ C) $\frac{1}{4} \sin \frac{3\alpha}{2}$ D) $\frac{1}{4} \sin \frac{3\alpha}{4}$

275. $2\sin^2 3\alpha + \sqrt{3}\sin 6\alpha - 1$ ni ko'paytma ko'rinishida ifodalang.

A) $2 \cos\left(\frac{\pi}{3} - 6\alpha\right)$ B) $\cos\left(\frac{\pi}{3} - 6\alpha\right)$ C) $2 \cos\left(\frac{\pi}{3} + 6\alpha\right)$

D) $\cos\left(\frac{\pi}{3} + 6\alpha\right)$

276. $tg 20^\circ + 4\sin 20^\circ$ ni hisoblang?

A) $\sqrt{2}$ B) $\sqrt{3}$ C) 1 D) 0

277. $\sin x - \cos x = 1,4$ ekani ma'lum bo'lsa, u holda $tg \frac{x}{2}$ ning qiymatini toping.

A) 1 va $\sqrt{2}$ B) $\sqrt{3}$ va 3 C) 2 va 3 D) 1

278. Ifodani soddalashtiring.

$$\frac{1}{2} \sin^2\left(2\alpha + \frac{3\pi}{2}\right) - 2(\cos^4 \alpha + \sin^4 \alpha) + 2(\cos^6 \alpha + \sin^6 \alpha)$$

A) $\cos 2\alpha$ B) $\cos 4\alpha$ C) $\frac{1}{2} \cos 2\alpha$ D) $\frac{1}{2} \cos 4\alpha$

279. Ifodani soddalashtiring

$$\frac{\sin 8\alpha + \sin 9\alpha + \sin 10\alpha + \sin 11\alpha + \sin 12\alpha}{\cos 8\alpha + \cos 9\alpha + \cos 10\alpha + \cos 11\alpha + \cos 12\alpha}$$
 agar

$tg 5\alpha = \cos 20^\circ \cos 40^\circ \cos 80^\circ$ bo'lsa, uning qiymatini toping.

A) $\frac{16}{63}$ B) 1 C) $\frac{12}{61}$ D) $\sqrt{3}$

280. O'suvchi arifmetik progressiyaning dastlabki uchta

hadining yig'indisi 21 ga teng. Agar bu progressiya

dastlabki ikkita hadining har biridan 1 ayrilsa va

uchinchi hadiga 2 qo'shilsa, hosil bo'lgan bu uchta son

geometrik progressiya tashkil qiladi. Hosil bo'lgan

geometrik progressiya dastlabki sakkista hadini

yig'indisini toping.

A) 700 B) 765 C) 868 D) 688

281. Istalgan sondagi hadlarining yig'indisi shu son

kvadratining to'rtlanganiga teng bo'lgan arifmetik

progressiya dastlabki oltita hadining yig'indisini

toping.

A) 100 B) 169 C) 144 D) 150

282. $(1+x)^n$ ning yoyilmasida to'rtinchi had 0,96 ga

teng. Agar binomial koeffitsiyentlar yig'indisi 1024 ga

teng bo'lsa, x va n ning qiymatini toping.

A) $x=0,3$; $n=13$ B) $x=0,1$; $n=12$ C) $x=2$; $n=11$

D) $x=0,2$; $n=10$

283. x va y ning qanday qiymatlarida $C_y^x : C_{y+2}^x : A_y^x =$

MATEMATIKA

= 1:3:24 tenglik o'rinli bo'ladi.

A) $x=3; y=7$ B) $x=4; y=7$ C) $x=3; y=8$ D) $x=4; y=8$

284. x ning qanday qiymatlarida $(5 + 2x)^{16}$

yoyilmaning to'rtinchi hadi o'ziga qo'shni bo'lgan ikkita haddan katta bo'ladi.

A) $\frac{15}{26} < x < \frac{10}{13}$ B) $\frac{15}{28} < x < \frac{10}{11}$ C) $\frac{15}{28} < x < \frac{10}{13}$

D) $\frac{15}{28} < x < \frac{11}{13}$

285. Agar $(\sqrt[3]{x} + \frac{1}{x})^n$ yoyilmasining beshinchi hadi x ga bog'liq bo'lmasa, A_n^2 ni aniqlang.

A) 120 B) 240 C) 250 D) 720

286. Yoyilma to'rtinchi hadining uchinchi hadiga nisbati

$3\sqrt{2}$ ga teng bo'lishi uchun $(\frac{1}{\sqrt{2}} + 3)$ binomni qanday natural darajaga ko'tarish kerak?

A) 5-daraja B) 6-daraja C) 7-daraja D) 8-daraja

287. Tenglamalar sistemasi nechta yechimga ega.

$$\begin{cases} x^2 + 3xy = 54 \\ 4y^2 + xy = 115 \end{cases}$$

A) 4 B) 2 C) 1 D) 0

288. $\frac{|x+2|+x}{x+1} > 1$ tengsizlikning manfiy butun yechimlari nechta.

A) cheksiz ko'p B) 2 C) 3 D) 1

289. $\frac{\sqrt[4]{48} \cdot \sqrt{245}}{\sqrt{5} \cdot \sqrt[4]{3}}$ ifodani qiymatini toping.

A) 10 B) 14 C) 1 D) 0

290. $(x_0; y_0)$ quyidagi tenglamalar sistemasini yechimi

$$\begin{cases} y - 2 = \sqrt{x} \\ \sqrt{x - 3} = y - 3 \end{cases}$$

A) 50 B) 60 C) 80 D) 75

291. ABCD parallelogram BE va AF bissektrisalar.

AB=16 sm va BC=10 sm bo'lsa, EF ni uzunligini toping.

A) 3 B) 4 C) 5 D) 6

292. ifodani eng katta qiymatini toping. $\frac{1}{4} \cos 2\alpha - \sin^2 \alpha$

A) 0,75 B) 1 C) 0,25 D) 1,5

293. Gipotenuzaga tushirilgan balandligi h ga teng bo'lgan to'g'ri burchakli uchburchak yuzasining eng kichik qiymatini toping.

A) $\frac{h^2}{3}$ B) h^2 C) $\frac{h^2}{2}$ D) $2h^2$

294. Bir kunlik jadvalda turli fanlar bo'yicha 5 ta dars bor. 11 ta fandan iborat bo'lgan shunday jadvallar sonini aniqlang.

A) 55440 B) 55000 C) 555440 D) 32

295. 20 kishidan iborat bo'lgan guruhda uchta navbatchini necha usul bilan tanlash mumkin.

A) 1140 B) 720 C) 1440 D) 32

296. $F_1 = 2$, $F_n = \left(\sqrt{3 + 2\sqrt{F_{n-1}}} - 1 \right)^2$ bo'lsa

$F_{2019} - F_{2018}$ ni hisoblang.

A) 0 B) 1 C) 2017 D) 2019

2019 TEST TOPSHIRIQLARI

297. Markazi O nuqtada bo'lgan aylanadan

tashqaridagi P nuqtadan aylanaga PC kesuvchi va

PA=4 urunmalar o'tkazilgan. Kesuvchi bilan aylana B

nuqtasida kesishishadi. PB=2, $\angle APC = 60^\circ$,

$\angle PCA = 30^\circ$ AC va BC vatarlar bilan va AB yoy

bilan chegaralangan soha yuzasini toping.

A) $2\pi - 3\sqrt{3}$ B) $12\pi - 3\sqrt{3}$ C) $8\pi - 3\sqrt{3}$ D) $2\pi + 3\sqrt{3}$

298. $f(x) = -3x^2 + 9x + t - 3$ funksiyaning maksimumini 4 ga teng t ning qiymatini toping.

A) 0,75 B) -3 C) -1 D) 0,25

299. Muntazam to'rtburchakli kesik piramida

apofemasi va asosining tomonlari 5:8:2 kabi nisbatda,

hajmi $1\frac{3}{4} m^3$. To'la sirtini yuzini toping.

A) 10,25 B) 10,5 C) 6,5 D) 6,25

300. Quyidagilarni qaysi biri to'plamlar uchun o'rinli?

1) Agar to'plamni tashkil qilgan elementlar chekli sonda bo'lsa, bunday to'plam chekli to'plam, aks holda cheksiz to'plam deyiladi.

2) Birorta ham elementga ega bo'lmagan to'plam bo'sh to'plam deyiladi.

3) Agar A to'plamning hamma elementlari B to'plamga tegishli bo'lsa, A to'plam B to'plamning qism to'plami deyiladi.

A) 1; 3 B) 1; 2 C) 2; 3 D) 1; 2; 3

301. Quyidagilarni qaysi biri to'plamlar uchun o'rinli?

1) A, B to'plamlarning birlashmasi deb bu to'plamlardan kamida bittasining elementi bo'lgan elementlardan tashkil topgan to'plamga aytiladi.

2) A, B to'plamlarning kesishmasi deb bu to'plamlarning umumiy elementlaridan tashkil topgan to'plamga aytiladi.

3) A to'plamning A' to'ldiruvchisi deb U universal to'plamning A ga tegishli bo'lmagan barcha elementlari to'plamiga aytiladi.

A) 1; 2; 3 B) 1; 2 C) 2; 3 D) 1; 3

302. Agar B to'plam n ta elementga ega bo'lsa, u holda B to'plam nechta qism to'plamga ega?

A) n ta B) 2^{n-1} C) 2^{n+1} D) 2^n

303. $A = \{x | 0 \leq x \leq 1, x \in \mathbb{R}\}$ to'plamning elementlari toping.

A) 0; 1; 2 B) 0; 1 C) 1; 2 D) 0; 0,5; 1

304. $P = \{50 \text{ dan kichik } 4 \text{ ga karrali natural sonlar}\}$;

$Q = \{50 \text{ dan kichik } 6 \text{ ga karrali natural sonlar}\}$

$n(P) + n(Q) - n(P \cap Q)$ ni toping

A) 16 B) 20 C) 18 D) 5

305. $A = \{40 \text{ dan kichik } 4 \text{ ga karrali natural sonlar}\}$;

$B = \{40 \text{ dan kichik } 6 \text{ ga karrali natural sonlar}\}$;

$C = \{40 \text{ dan kichik } 12 \text{ ga karrali natural sonlar}\}$;

$n(A) + n(B) + n(C) - n(A \cap B) - n(B \cap C) - n(A \cap C) + n(A \cap B \cap C)$ ni toping

A) 12 B) 10 C) 16 D) 20

MATEMATIKA

306. 50 ta talabdan 40 tasi ingliz tilini, 25 tasi esa nemis tilini o'rganmoqda. Ikkila tilni ham o'rganayotgan talaba nechta?

- A) 65 B) 10 C) 25 D) 15

307. Tenglama yechimlari yig'indisini toping.

$$\frac{x^2+3x+2}{x^2-x+2} + \frac{x}{x^2-2x+2} = 1$$

- A) 0 B) 1 C) 2 D) 3

308. Teng kuchli tenglamalarni ko'rsating.

1) $10x=8+2$ 2) $x^2 = 4$ 3) $2x+18=-x^2$

- A) 1 va 3 B) 2 va 3 C) 1 va 2 D) hammasi

309. Tenglamaning katta ildizini toping:

$$(x-5)(x+4)(x+11)=0$$

- A) -4 B) 5 C) 16 D) 11

310. Tenglamalar sistemasining nechta yechimi bor?

$$\begin{cases} x^2 + y^2 = 10 \\ xy = 3 \end{cases}$$

- A) 2 B) 4 C) 3 D) 1

311. Tenglamalar sistemasining nechta yechimi bor?

$$\begin{cases} \sqrt{x} + \sqrt{y} = 11 \\ \sqrt{xy} = 30 \end{cases}$$

- A) 1 B) 2 C) 3 D) 4

312. Tekislikda A(3;1) va B(7;3) nuqtalardan teng uzoqlikda joylashgan C(5;x) nuqtani toping.

- A) (5;2) B) (5;3) C) (4;2) D) (4;3)

313. Quyidagi mulohazalardan qaysilari to'g'ri.

1) Tekislikda qanday to'g'ri chiziq olinmasin, unda bu to'g'ri chiziqqa tegishli bo'lgan nuqtalar ham, tegishli bo'lmagan nuqtalar ham mavjud.

2) Har qanday ikki nuqtadan faqat bitta to'g'ri chiziq o'tadi.

3) Bir to'g'ri chiziqda olingan istalgan uchta nuqtaning faqat bittasi qolgan ikkitasining orasida yotadi.

- A) 1; 2 B) 2; 3 C) 1; 3 D) 1; 2; 3

314. Quyidagi mulohazalardan qaysilari to'g'ri.


1) Har bir to'g'ri chiziq tekislikni ikki bo'lakka: ikkita yarim tekislikka ajratadi.

2) Har qanday kesma noldan farqli tayin uzunlikka ega.

3) Tekislikda to'g'ri chiziqdan tashqarida olingan nuqtadan bu to'g'ri chiziqqa faqat bitta parallel to'g'ri chiziq o'tkazish mumkin.

- A) 1; 2 B) 2; 3 C) 1; 3 D) 1; 2; 3


315. Funksiyaning aniqlanish sohasini toping.



2019 TEST TOPSHIRIQLARI

- A) (-9;8) B) [-9;8] C) (-4;3) D) [-4;3]

316. Funksiyaning qiymatlar sohasini toping.



- A) (-9;8) B) [-9;8] C) (-4;3) D) [-4;3]

317. Quyidagi mulohazalarni tekshiring.

1. Bir to'g'ri chiziqda yotmagan uchta nuqta orqali bitta va faqat bitta tekislik o'tkazish mumkin.

2. To'g'ri chiziq va unda yotmagan nuqta orqali bitta va faqat bitta tekislik o'tkazish mumkin.

3. Kesishuvchi ikki to'g'ri chiziq orqali bitta va faqat bitta tekislik o'tkazish mumkin.

4. Parallel ikki to'g'ri chiziq orqali bitta va faqat bitta tekislik o'tkazish mumkin.

- A) 1 va 4 to'g'ri B) 2 va 3 noto'g'ri

- C) hammasi to'g'ri D) 1, 2 va 3 to'g'ri

318. Agar $f(2x)=6x^3+4x^2+2x+1$ bo'lsa $f'(2)-f(2)$ ni toping.

- A) 3 B) 1 C) 4 D) 2

319. a va b manfiy butun sonlar uchun $a=b+3$ va $a+b-c=13$ bo'lsa, c ning eng katta qiymatini toping.

- A) -17 B) -16 C) -18 D) -15

320. $\frac{2}{3-x} + \frac{1}{2} = \frac{6}{x(3-x)}$ tenglamani yeching.

- A) 4 B) 5 C) 3 D) 2

321. $\sqrt{x-2} = x-4$ tenglamani yeching.

- A) 3 va 6 B) 6 C) 3 D) 2 va 4

322. $\sqrt{1-4x} + 2 = \sqrt{(2x+1)^2 - 8x}$ tenglamani yechimlar yig'indisini toping.

- A) -2 B) 0 C) -3 D) 2

323. $(x+1)(x^2+2) + (x+2)(x^2+1) = 2$ tenglamani yechimlar ko'paytmasini toping.

- A) 0 B) -1 C) -2 D) 1

324. $\sqrt[3]{(5+x)^2} + 4\sqrt[3]{(5-x)^2} = 5\sqrt[3]{25-x^2}$ tenglamani yeching.

- A) 0 va $\frac{63}{13}$ B) 1 va $\frac{63}{14}$ C) 1 va $\frac{63}{13}$ D) 0 va $\sqrt{2}$

325. Tenglamani yechimi bo'ladigan natural sonlar yig'indisini toping.

$$\sqrt{x+3-4\sqrt{x-1}} + \sqrt{x+8-6\sqrt{x-1}} = 1$$

- A) 35 B) 45 C) 55 D) 26

326. $\begin{cases} 2x + y + z = 7 \\ x + 2y + z = 8 \\ x + y + 2z = 9 \end{cases}$ bo'lsa $x+y-z$ ni toping.

- A) 6 B) 5 C) 0 D) 3

327. $\begin{cases} x\sqrt{y} + y\sqrt{x} = 6 \\ x^2y + y^2x = 20 \end{cases}$ tenglamalar sistemasini yeching.

- A) (9;1); (1;9) B) (4;0); (0;4)
C) (4;9); (9;4) D) (4;1); (1;4)

328. Quyidagi mulohazalardan qaysilari to'g'ri.

- Muntazam piramidaning yon sirti uning asosining yarim perimetri va apofemasining ko'paytmasiga teng.
- Konusning yon sirti uning asosi yuzining yarmi va yasovchisining ko'paytmasiga teng.
- To'g'ri chiziq va unda yotmaydigan nuqta orqali bitta va faqat bitta tekislik o'tkazish mumkin.

- A) 1 va 2 B) 2 va 3 C) 1 va 3 D) 1, 2 va 3

329. $\sqrt{5} \cdot 0,2^{\frac{1}{2x}} - 0,04^{1-x} = 0$ tenglamani yeching

- A) 1 va 0,5 B) 1 va 0,25 C) 1 va 0,75 D) 1

330. $35 \cdot 3^{x^2} - 35 \cdot 5^{2x} - 3^{x^2} + 5^{2x} = 0$ tenglama nechta butun yechimga ega.

- A) 1 B) 2 C) 3 D) 0

331. Quyidagi mulohazalardan qaysilari to'g'ri.

1. Tekislikda unga tegishli bo'lgan va tegishli bo'lmagan nuqtalar mavjud.

2. Agar to'g'ri chiziqning ikki nuqtasi bitta tekislikda yotsa, u holda uning barcha nuqtalari shu tekislikda yotadi.

3. Agar ikki tekislik umumiy nuqtaga ega bo'lsa, u holda ular shu nuqtadan o'tuvchi umumiy to'g'ri chiziqqa ham ega bo'ladi.

- A) 1 va 2 B) 2 va 3 C) 1 va 3 D) 1, 2 va 3

332. $4\sqrt{x} - 9 \cdot 2\sqrt{x-1} + 2 = 0$ tenglamani yeching.

- A) 9 B) 0,(3) C) 4 D) 4 va 0,(3)

333. $|x - 2|^{x^2-2x} = |x - 2|^{5x-10}$ tenglama yechimlar ko'paytmasini toping.

- A) 8 B) 12 C) 15 D) 20

334. $2(\lg x - \lg 6) = \lg x - 2\lg(\sqrt{x} - 1)$ tenglamani yeching.

- A) 5 B) 8 C) 9 D) 6

335. Quyidagi tenglamani yeching.

$\log_{0,5}\sqrt{1+x} + 3\log_{\frac{1}{4}}(1-x) = \log_{\frac{1}{16}}(1-x^2)^2 + 2$

- A) 0,25 B) 0,75 C) 0,5 D) 1

336. $x^{\frac{\lg x + 5}{3}} = 10^{\lg x + 1}$ tenglama yechimlar yig'indisini toping.

- A) 11 B) 10,1 C) 10,001 D) 10,01


337. $\log_x(2x^2 - 4x + 3) = 2$ tenglamani yeching.

- A) 3 B) 2 C) 4 D) 0,1

338. $\log_3(x+6) \cdot \log_x 3 = 2$ tenglamani yeching

- A) 0,1 B) 4 C) 2 D) 3

339. Funksiyaning lokal minimum va lokal maksimum nuqtalarini toping.



A) lokal minimum nuqtasi 7

lokal maksimum nuqtasi -5

B) lokal minimum nuqtasi -6

lokal maksimum nuqtasi 4

C) lokal minimum nuqtasi -5

lokal maksimum nuqtasi 4

D) lokal minimum nuqtasi -11

lokal maksimum nuqtasi 12

340. Quyidagi mulohazalardan qaysilari o'rinli.

1. Uchinchi to'g'ri chiziqqa parallel ikki to'g'ri chiziq o'zaro paralleldir.

2. Parallelepipedning barcha diagonallari bitta nuqtada kesishadi va bu nuqtada teng ikkiga bo'linadi.

3. Agar ikki to'g'ri chiziqdan biri biror tekislikda yotsa, ikkinchisi esa bu tekislikni birinchi to'g'ri chiziqda yotmagan nuqtada kesib o'tsa, u holda bu to'g'ri chiziqlar ayqash bo'ladi.

- A) faqat 1 B) faqat 1 va 2 C) faqat 3 D) hammasi

341. Quyidagi mulohazalardan qaysilari o'rinli.

1. Ikki to'g'ri chiziqning kesishishidan hosil bo'lgan qo'shni burchaklarning kichigi ikki to'g'ri chiziq orasidagi burchak deyiladi.

2. Agar tekislikda yotmagan to'g'ri chiziq shu tekislikdagi biror to'g'ri chiziqqa parallel bo'lsa, bu to'g'ri chiziq tekislikning o'ziga ham parallel bo'ladi.

3. Ikki parallel tekislikning uchinchi tekislik bilan kesishish to'g'ri chiziqlari o'zaro parallel bo'ladi.

- A) faqat 1 B) faqat 1 va 2 C) faqat 3 D) hammasi

342. $\lg x^2 = 0,25\lg(4x+3)^4$ yechimlar yig'indisini toping.

- A) 0 B) $2 - \sqrt{7}$ C) $2 + \sqrt{7}$ D) -4

343. $\sin\left(\frac{\pi}{6} - 2x\right) = \frac{\sqrt{3}}{2}$ tenglamani yeching.

A) $x = (-1)^{n+1} \frac{\pi}{6} + \frac{\pi}{12} (6n+1), n \in \mathbb{Z}$.

B) $x = (-1)^n \frac{\pi}{6} + \frac{\pi}{12} (6n+1), n \in \mathbb{Z}$.

C) $x = (-1)^{n+1} \frac{\pi}{6} + \frac{\pi}{12} (4n+1), n \in \mathbb{Z}$.

D) $x = (-1)^n \frac{\pi}{3} + \frac{\pi}{12} (6n+1), n \in \mathbb{Z}$.

344. Quyidagi mulohazalardan qaysilari o'rinli.

1. Berilgan tekislikka undan tashqaridagi nuqtadan yagona parallel tekislik o'tkazish mumkin.

2. Uchinchi tekislikka parallel ikki tekislik o'zaro parallel bo'ladi.

3. Uchta parallel tekisliklar orasidagi ixtiyoriy to'g'ri chiziqlar kesmalari o'zaro proporsional bo'ladi.

- A) faqat 1 B) faqat 1 va 2 C) faqat 3 D) hammasi

MATEMATIKA

345. $z_1 = 1 + 2i$, $z_2 = 2 - i$ kompleks sonlarning haqiqiy va mavhum qismlarini toping.

- A) $Re(z_1) = 1$; $Re(z_2) = 2$; $Im(z_1) = 2$; $Im(z_2) = -1$
 B) $Re(z_1) = 2$; $Re(z_2) = 2$; $Im(z_1) = 1$; $Im(z_2) = -1$
 C) $Re(z_1) = 2$; $Re(z_2) = 1$; $Im(z_1) = -1$; $Im(z_2) = 2$
 D) $Re(z_1) = 2$; $Re(z_2) = -1$; $Im(z_1) = 1$; $Im(z_2) = 2$

346. $z = 3 - 2i$ kompleks songa qo'shma kompleks sonni yozing.

- A) $z = -3 - 2i$ B) $z = 3 + 2i$
 C) $z = -3 + 2i$ D) $z = 2 - 3i$

347. $2\left(3 - \frac{1}{2}i\right) - 2i(3 + i)$ hisoblang.

- A) $8 - 7i$ B) $8 + 7i$ C) $-i$ D) i

348. $Re(z) = 4$, $Im(z) = -5$ kompleks sonlarni algebraik ko'rinishida yozing.

- A) $z = 8 + i$ B) $z = 4 + 5i$
 C) $z = -5 + 4i$ D) $z = 4 - 5i$

349. $z = i$ kompleks sonlarni trigonometrik ko'rinishida yozing.

- A) $\cos \frac{\pi}{2} - i \sin \frac{\pi}{2}$ B) $\cos \frac{\pi}{2} + i \sin \frac{\pi}{2}$
 C) $\sin \frac{\pi}{2} - i \cos \frac{\pi}{2}$ D) $\sin \frac{\pi}{2} + i \cos \frac{\pi}{2}$

350. $z_1 = \frac{\sqrt{3}}{2}\left(\cos \frac{\pi}{4} + i \sin \frac{\pi}{4}\right)$, $z_2 = \frac{1}{2}\left(\cos \frac{\pi}{6} + i \sin \frac{\pi}{6}\right)$

bo'lsa $z_1 \cdot z_2$ toping.

- A) $z_1 \cdot z_2 = \frac{\sqrt{3}}{4}\left(\cos \frac{\pi}{12} - i \sin \frac{\pi}{12}\right)$
 B) $z_1 \cdot z_2 = \frac{\sqrt{3}}{4}\left(\cos \frac{5\pi}{12} - i \sin \frac{5\pi}{12}\right)$
 C) $z_1 \cdot z_2 = \frac{\sqrt{3}}{4}\left(\cos \frac{\pi}{12} + i \sin \frac{\pi}{12}\right)$
 D) $z_1 \cdot z_2 = \frac{\sqrt{3}}{4}\left(\cos \frac{5\pi}{12} + i \sin \frac{5\pi}{12}\right)$

351. $z_1 = \sqrt{2}\left(\cos \frac{\pi}{8} + i \sin \frac{\pi}{8}\right)$, $z_2 = 2\left(\cos \frac{\pi}{12} + i \sin \frac{\pi}{12}\right)$

bo'lsa $z_1 : z_2$ toping.


- A) $z_1 : z_2 = \frac{\sqrt{2}}{2}\left(\cos \frac{5\pi}{24} - i \sin \frac{5\pi}{24}\right)$
 B) $z_1 : z_2 = \frac{\sqrt{2}}{2}\left(\cos \frac{5\pi}{24} + i \sin \frac{5\pi}{24}\right)$
 C) $z_1 : z_2 = \frac{\sqrt{2}}{2}\left(\cos \frac{\pi}{24} + i \sin \frac{\pi}{24}\right)$
 D) $z_1 : z_2 = \frac{\sqrt{2}}{2}\left(\cos \frac{\pi}{24} - i \sin \frac{\pi}{24}\right)$

352. $z = 3\left(\cos \frac{\pi}{15} + i \sin \frac{\pi}{15}\right)$ bo'lsa z^5 ni toping.

- A) $z^5 = 15\left(\cos \frac{\pi}{3} + i \sin \frac{\pi}{3}\right)$
 B) $z^5 = 343\left(\cos \frac{\pi}{3} + i \sin \frac{\pi}{3}\right)$
 C) $z^5 = 343\left(\cos \frac{\pi}{3} - i \sin \frac{\pi}{3}\right)$
 D) $z^5 = 15\left(\cos \frac{\pi}{3} - i \sin \frac{\pi}{3}\right)$


353. $y = a \sin bx + c$ funksiya grafigiga qarab a, b, c, sonlarni toping.

2019 TEST TOPSHIRIQLARI




- A) $y = 2 \sin 2x - 3$ B) $y = 2 \sin 2x + 3$
 C) $y = -2 \sin 2x - 3$ D) $y = -2 \sin 2x + 3$

354. Grafiklardan qaysi biri davriy jarayonni ifodalaydi.




- A) 1; 3; 4 B) 2; 3; 4 C) 1; 2; 3 D) 1; 2; 4

355. Parabolaga qarab, kvadrat funksiya formulasini yozing.




- A) $y = \frac{3}{2}(x + 2)(x - 3)$ B) $y = \frac{3}{2}(x - 2)(x - 3)$
 C) $y = \frac{3}{2}(x - 2)(x - 4)$ D) $y = \frac{3}{2}(x - 3)(x - 4)$

356. Funksiyaning qiymatlar sohasini toping.



- A) $(-\infty; -1] \cup (0; \infty)$ B) $(-\infty; 0) \cup (0; 2) \cup (2; \infty)$
 C) $(-\infty; -1) \cup (0; \infty)$ D) $(-\infty; 0) \cup (0; \infty)$

357. Funksiyaning kamayish va o'sish oraliqlarini toping.



- A) $(-3; \infty)$ kamayadi; $(-\infty; -3)$ o'sadi

MATEMATIKA

- B) $(-\infty; 4]$ kamayadi ; $[4; \infty)$ o'sadi
 C) $(-\infty; -3]$ kamayadi ; $[-3; \infty)$ o'sadi
 D) $(-\infty; -3)$ kamayadi ; $(-3; \infty)$ o'sadi
358. $\lim_{h \rightarrow 0} \frac{3h^2 - 4h}{h}$ ni hisoblang.
 A) 0 B) 3 C) -4 D) 4
359. $f(x) = e^x$ funksiya grafigiga absissasi $x_0 = 1$ nuqtadan o'tkazilgan normal tenglamasini toping.
 A) $y = \frac{1}{e}x + e + \frac{1}{e}$ B) $y = -\frac{1}{e}x + e + \frac{1}{e}$
 C) $y = -\frac{1}{e}x + e$ D) $y = -\frac{1}{e}x + \frac{1}{e}$
360. Ma'lumot qatorining modasini toping.
 2, 5, 9, 1, 2, 3, 3, 5, 5, 5, 7, 3, 3
 A) 1 va 9 B) 2 C) 3 va 5 D) 9
361. Ma'lumot qatorining medianasini toping.
 2, 3, 3, 3, 4, 4, 4, 5, 5, 5, 6, 6, 6, 7, 8, 8, 9
 A) 5 B) 6 C) 3 D) 4
362. Akbar konfet, shokolad va muzqaymoq yemoqchi. Buni u necha usul bilan bajarishi mumkin.
 A) 24 ta B) 6 ta C) 2 ta D) 720 ta
363. $3\cos^2\left(\frac{x}{2} - \frac{\pi}{4}\right) - 2\cos x = 4$ tenglamani yeching.
 A) $x = 2\arctg 3 + 2\pi n, n \in \mathbb{Z}$
 B) $x = 2\arctg 3 + \pi n, n \in \mathbb{Z}$
 C) $x = \frac{\pi}{4} + 2\pi n, n \in \mathbb{Z}$ D) $x = \frac{\pi}{4} + \pi n, n \in \mathbb{Z}$
364. $\sin(\pi \cos 2x) = 1$ tenglamani yeching.
 A) $x = \frac{\pi}{6} + \pi n$ B) $x = \pm \frac{\pi}{6} + \pi n$
 C) $x = \pi n$ D) $x = -\frac{\pi}{6} + \pi n$
365. Raqamlari yig'indisi 4 dan kichik bo'lgan to'rt xonali sonlar nechta?
 A) 120 B) 6 C) 15 D) 24
366. $\frac{(x+3)(5-x)}{2x-5} > 0$ tengsizlikni yeching.
 A) $(-3; 2,5)$ B) $(2,5; 5)$ C) $(-\infty; 3) \cup (2,5; 5)$
 D) $(-3; 2,5) \cup (5; \infty)$
367. $\frac{x^2(2x-9)(x-1)^3}{(x+4)^5(2x-6)^4} \leq 0$ tengsizlikning eng katta butun yechimini toping.
 A) -4 B) 4 C) 2 D) 0
368. Birinchi raqam 2 bo'lgan va 1, 2, 3, 4 va 5 raqamlardan tashkil topgan uch xonali sonlar nechta.
 A) 20 B) 25 C) 30 D) 35
369. $\frac{\sqrt{x}-3}{x-2} > 0$ tengsizlikni yeching.
 A) $[0; 2) \cup (9; \infty)$ B) $(2; 9)$ C) $(0; 2) \cup (9; \infty)$ D) $(9; \infty)$
370. Zavodda beshta guruh ishchilari mavjud. Shu guruhlardan ikki nafar qorovulli tanlashimiz kerak, bunda har qanday juftlikda turli guruh ishchilari bo'lishi kerak. Buni necha usulda amalga oshirsa bo'ladi.
 A) 6 B) 24 C) 10 D) 64
371. $\lim_{x \rightarrow 0} (\sqrt{1+x} - 1)$ hisoblang.
 A) 2 B) 0 C) 1 D) -1

2019 TEST TOPSHIRIQLARI

372. Savatda 5 ta olma va 3 ta nok bor. Savatdan 1 ta meva tanlashni necha usulda amalga oshirish mumkin.
 A) 8 B) 24 C) 5 D) 3
373. $\sqrt{x+61} < x+5$ tengsizlikni yeching.
 A) $(-5; \infty)$ B) $(-5; 61)$ C) $(61; \infty)$ D) $(3; \infty)$
374. $\left(\frac{1}{3}\right)^{8+x} - 81 < 0$ tengsizlikni yechimi bo'ladigan eng kichik butun sonni toping.
 A) -2 B) 0 C) 2 D) -11
375. Orolga 7 ta yo'l olib boradi. Agar orolga borish va qaytish yo'llari xar xil yo'llar bilan amalga oshirilsa, bu ishni necha usulda amalga oshirish mumkin.
 A) 21 B) 49 C) 28 D) 42
376. $0,4^{\log_2^2 x + 1} < 6,25^{2 - \log_2 x^3}$ tengsizlikni yeching.
 A) $(32; \infty)$ B) $\{1\} \cup (32; \infty)$ C) $(0; 2) \cup (32; \infty)$ D) 1
377. $\log_{\frac{1}{3}} \log_{\frac{1}{2}} \frac{x+4}{2x-3} < 0$ eng katta butun yechimi va yechimi bo'lmaydigan eng kichik butun sonlarning yig'indisini toping.
 A) -8 B) -9 C) -7 D) -6
378. Uyimizda 5 ta turli aftomobil, 3 ta turli vilosiped, 4 ta turli samakat bor. Aftomobil va vilosiped juftligini necha usulda tanlashimiz mumkin.
 A) 24 B) 47 C) 60 D) 15
379. $y = \sqrt{1 - \log_8(x^2 - 4x + 3)}$ funksiyaning aniqlanish sohasiga tegishli butun sonlarni ko'paytmasini toping.
 A) 0 B) -12 C) 6 D) -6
380. ABC uchburchakning yuzi 30 sm^2 ga teng. AC tomonda D nuqta shunday olinganki $AD:DC=2:3$ bo'ladi. BC tomonga o'tkazilgan DE perpendikularning uzunligi 9 sm ga teng. BC ni toping.
 A) 2 sm B) 4 sm C) 8 sm D) 10 sm
381. Teng yonli uchburchakda asosga va yon tomonga o'tkazilgan balandliklar mos ravishda 10 va 12 sm ga teng. Asosning uzunligini toping.
 A) $15\sqrt{3}$ sm B) 15 sm C) 21 sm D) $12\sqrt{3}$ sm
382. Uyimizda 5 ta turli aftomobil, 3 ta turli vilosiped, 4 ta turli samakat bor. Aftomobil, vilosiped va samakat uchligini necha usulda tanlashimiz mumkin.
 A) 24 B) 47 C) 60 D) 15
383. Ikkita aylana tashqi tomondan urinadi. Ulardan birinchisiga ikkinchi aylananing markazidan o'tuvchi urinma o'tkazilgan. Urinish nuqtasidan ikkinchi aylananing markazigacha bo'lgan masofa shu aylana radiusining uchlanganiga teng. Birinchi aylananing uzunligi ikkinchi aylananing uzunligidan necha marta katta.
 A) 4 B) 2 C) 1,5 D) 2,5

MATEMATIKA

384. To'g'ri burchakli uchburchakda o'tkir burchakning bissektrisasi o'tkazilgan. Uning asosini medianalar kesishish nuqtasi bilan tutashtiruvchi kesma katetga perpendikulyar. Uchburchakning burchaklarini toping.

- A) $22,5^{\circ}$ va $67,5^{\circ}$ B) 15° va 75°
C) 45° va 45° D) 30° va 60°

385. Uyimizda 5 ta turli aftomobil, 3 ta turli vilosiped, 4 ta turli samakat bor. Ixtiyoriy ikkita juftligini necha xil usulda tanlashimiz mumkin.

- A) 24 B) 47 C) 60 D) 15

386. DABC piramida ABC asosining BE medianasi va DC qirrasining o'rtasi F orqali tekislik o'tkazilgan. Agar DABC piramidaning hajmi 40 sm^3 ga teng bo'lsa, ADBFE shaklning hajmini toping.

- A) 20 sm^3 B) 25 sm^3 C) 30 sm^3 D) 28 sm^3

387. Qirrasining uzunligi a ga teng bo'lgan ABCDA₁B₁C₁D₁ kub berilgan. AA₁ qirrada E nuqta shunday olinganki, bunda $AE = \frac{a}{4}$ bo'ladi. Uchi A₁ nuqta bo'ladigan, asosi esa D, E va BB₁ qirraning ixtiyoriy ichki nuqtasi orqali o'tuvchi kub kesimidan iborat bo'lgan piramidaning hajmini toping.

- A) $\frac{a^3}{4}$ B) $a^3\sqrt{3}$ C) $\frac{a^3\sqrt{3}}{2}$ D) $\frac{a^3}{3}$

388. Barcha raqamlari juft bo'lgan besh xonali sonlar nechta?

- A) 720 B) 2500 C) 1800 D) 1000

389. Tomoni a ga teng bo'lgan ABCD rombning C uchidan rombni uchta tengdosh shaklga bo'luvchi CE va CF kesmalar o'tkazilgan. $\cos C = 0,25$ ekani ma'lum bo'lsa, CE+CF ni toping.

- A) $4\sqrt{2}a$ B) $\frac{4\sqrt{3}a}{3}$ C) $\frac{4a}{3}$ D) $\frac{8a}{3}$

390. Ishchilar guruhi bir topshiriqni bajardi. Agar guruh 20 kishiga qisqartirilsa, u holda guruh xuddi shunday topshiriqni dastlabki tarkibidagiga nisbatan 5 kun kechroq bajaradi, agar guruh 15 kishiga orttirilsa, u holda ular ishni 2 kun oldin bajaradi. Guruhda dastlab necha kishi bo'lgan.

- A) 40 B) 50 C) 60 D) 10

391. Sug'orish uchun suv haydayotgan uchta nasos ishni bir vaqtda boshladi. Birinchi va uchinchi nasoslar ishni bir vaqtda tugatishdi, ikkinchi nasos esa ishni ish boshlanganida 2 soat keyin tugatdi. Natijada birinchi nasos 9 m^3 , ikkinchi va uchinchi nasoslar birgalikda 28 m^3 suv haydashdi. Agar uchinchi nasos bir soatda birinchi nasosga nisbatan 3 m^3 ko'p suv haydashi va uchta nasos birgalikda ishlab, bir soatda 14 m^3 suv haydashi ma'lum bo'lsa, har bir nasos bir soatda qancha m^3 miqdorda suv haydaydi?

- A) 3 ; 5 ; 6 B) 5 ; 6 ; 7 C) 1 ; 3 ; 4 D) 2 ; 3 ; 4

2019 TEST TOPSHIRIQLARI

392. Futbol jamoasida 11 nafar o'yinchi bor. Jamoa sardori va uning yordamchisi necha usulda tayinlanishi mumkin.

- A) 121 B) 110 C) 2048 D) 720

393. 219 xonada Nozliya, Abduxoliq, Asilbek, Muhayyo va Dilmira navbatchilardir. Bir nafar o'g'il bola va bir nafar qiz bolani navbatchilikka tanlash uchun necha usulda amalga oshirsa bo'ladi.

- A) 24 ta B) 12 ta C) 6 ta D) 8 ta

394. P ning qanday qiymatlarida $x^2 - (2^p - 1)x - 3(4^{p-1} - 2^{p-2}) = 0$ tenglama teng ildizlarga ega bo'ladi.

- A) 0 va 1 B) -2 va -1 C) 0 va -2 D) 1 va -2

395. $|x-1| \cdot |x+2| = 4$ tenglama ildizlar ko'paytmasini toping.

- A) 1 B) 2 C) -3 D) -6

396. $2 \log_{0,5} a - 3 + 2x \log_{0,5} a - x^2 < 0$ tengsizlik O_x o'qning istalgan nuqtasida bajaraladigan a ning barcha qiymatlar yig'indisini toping.

- A) 16 B) 21 C) 45 D) 28

397. Kasrni qisqartiring. $\frac{n!}{(n+1)! - n!}$

- A) $1/n$ B) n C) 1 D) $2/n$

398. $\lim_{x \rightarrow 2} \frac{x^3 - 8}{2x - 4}$ ni hisoblang.

- A) 0 B) 1 C) 6 D) 2

399. $\lim_{x \rightarrow 4} \frac{\sqrt{x^2 - 7} - 3}{x - 4}$ ni hisoblang.

- A) 1,5 B) $4/3$ C) 1 D) 0

400. $f(x) = \frac{x^2 + 4}{x - 2}$ funksiyaning grafigiga uning

ordinatalar o'qi bilan kesishish nuqtasidan o'tkazilgan urinmaning tenglamasini tuzing.

- A) $y = -x + 2$ B) $y = x - 2$ C) $y = x + 2$ D) $y = -x - 2$

401. 3 ta oq, 2 ta qizil va 4 ta sariq atirgul bor. Uchta guldandan iborat guldastani necha usulda tuzish mumkin.

- A) 8 B) 24 C) 120 D) 12

402. $f(x) = \frac{(x-2)^2}{x^2}$ funksiyaning o'sish oralig'ini toping.

- A) (0;2) B) $(-\infty; 0)$ C) $(-\infty; 0) \cup (2; \infty)$ D) $(2; \infty)$

403. $f(x) = 2\sin x + \sin 2x$ funksiyaning $[0; \frac{3\pi}{2}]$ kesmadagi eng kichik va eng katta qiymatlarini toping.

- A) $y_{\min} = 0$; $y_{\max} = 1$ B) $y_{\min} = 0$; $y_{\max} = 1,5\sqrt{3}$

- C) $y_{\min} = -2$; $y_{\max} = 0$ D) $y_{\min} = -2$; $y_{\max} = 1,5\sqrt{3}$

404. Kitob javonida matematikadan 10 ta, chet tilidan 4 ta, ona tilidan 6 ta kitob turibdi. Javonda bitta kitobni necha usul bilan olish mumkin?

- A) 20 B) 216 C) 14 D) 16

405. Do'konda 7 xil pidjak, 5 xil shim va 4 xil galstuk sotilmoqda. Pidjak, shim va galstukdan iborat uchlikni necha usul bilan sotib olsa bo'ladi?

- A) 35 B) 20 C) 16 D) 140

MATEMATIKA

406. Do'konda 5 xil convert va 4 xil marka sotilmoqda. Konvert bilan markani necha usulda sotib olishimiz mumkin.

- A) 24 B) 20 C) 9 D) 12

407. Sfera sirtining yuzi 27π ga teng. Bu sferaga ichki chizilgan eng katta hajmli silindrning balandligi qancha bo'ladi.

- A) 3,5 B) $3\sqrt{2}$ C) 3 D) $2\sqrt{3}$

408. Sinfdan 30 nafar o'quvchi bor. Navbatchilik qilish uchun 2 nafar o'quvchini necha usulda amalga oshirishimiz mumkin.

- A) 435 B) 870 C) 60 D) 720

409. $y = -x^3$, $y = \frac{8}{3}\sqrt{x}$, $y = 8$ funksiyalarning graflari bilan chegaralangan shaklning yuzini toping.

- A) 12 B) 27 C) 30 D) 36

410. Qurilish tashkilotining bo'limida 15 nafar ishchi bor. 3 nafar ishchini necha usulda tanlab olishimiz mumkin.

- A) 2730 B) 455 C) 45 D) 120

411. 30 ta turli munchoqlardan iborat taqinchoqni 8 ta munchoqli qismlarga nechta usulda ajratsa bo'ladi.

- A) $30 \cdot 29 \cdot 28 \cdot 27$ B) 240 C) 5853925 D) 5852925

412. Idishda 12 ta oq, 24 ta ko'k rangli sharlar bor.

Tasodifiy ravishda olingan sharning oq rangda ekanligining ehtimolligini toping.

- A) 1/3 B) 3 C) 2/3 D) 2/6

413. $\triangle ABC$ da BC tomondan olingan K nuqta uni B uchidan boshlab hisoblaganda 1:3 kabi nisbatda bo'ladi,

L nuqta esa AC tomonni A uchidan boshlab hisoblaganda 2:5 kabi nisbatda bo'ladi. AK va BL to'g'ri chiziqlarning kesishish nuqtasi O tegishli uchlardan boshlab hisoblaganda AK va BL kesmalarni qanday nisbatda bo'ladi.


A) $\frac{BO}{OL} = \frac{1}{2}$; $\frac{AO}{OK} = \frac{3}{2}$ B) $\frac{BO}{OL} = \frac{11}{9}$; $\frac{AO}{OK} = \frac{5}{3}$

- C) $\frac{BO}{OL} = \frac{7}{6}$; $\frac{AO}{OK} = \frac{8}{5}$ D) $\frac{BO}{OL} = \frac{8}{5}$; $\frac{AO}{OK} = \frac{7}{6}$

414. 100 ta mahsulotdan 30 tasi yaroqsiz. Sotib olingan mahsulotning yaroqsiz ekanligi ehtimolligini toping.

- A) 7/10 B) 0,3 C) 3/13 D) 3/7

415. Rasmda A, B va C to'plamlar tasvirlangan. Agar n soni AUB to'plamning, m esa B∩C to'plamning elementlari soni bo'lsa, n-2m ning qiymatini toping.



- A) 7 B) 6 C) 8 D) 5

2019 TEST TOPSHIRIQLARI

416. Maktabda 800 ta bola o'qiydi. Shulardan 80 tasi alochi. Tasodifiy ravishda bir o'quvchi tanlandi. Uning alochi ekanligining ehtimolligini toping.

- A) 0,1 B) 0,9 C) 1,1 D) 1/11

417. Gulzorda 20 qizil, 30 ta binafsha rang va 40 ta oq rangli gul ochilgan. Agar bitta gul uzilgan bo'lsa, uning qizil yoki binafsha rangli bo'lish ehtimolligini toping.

- A) 1/9 B) 1/3 C) 2/9 D) 5/9

418. OABC parallelogrammda O(0;0) va A(3;6) va B(8;6) uchlar berilgan. AC diogonalning tenglamasini tuzing.

- A) $y=x+3$ B) $y=-2x+12$ C) $y=-3x+15$ D) $y=2x$

419. $y=0,2x-0,4$, $y=x+2$, $y=8-x$ to'g'ri chiziqlar tomonidan hosil qilingan uchburchakka tashqi chizilgan aylananing radiusini toping.

- A) $2\sqrt{5}$ B) 5 C) 12,5 D) $\sqrt{26}$

420. $\triangle ABC$ ning uchlari A(1;1;1), B(3;0;1), C(0;3;1) berilgan bo'lsa, uning BAC burchagi bissektrisasi bo'yicha yo'nalgan vektorga kollinear birlik vektorni toping.

- A) $\vec{e}(\frac{1}{\sqrt{2}}; \frac{1}{\sqrt{2}})$ B) $\vec{e}(\frac{1}{\sqrt{2}}; \frac{1}{\sqrt{2}}; 0)$ C) $\vec{e}(0; 0; 1)$
D) $\vec{e}(\frac{1}{\sqrt{2}}; 0; \frac{1}{\sqrt{2}})$

421. $A = i + i^2 + i^3 + \dots + i^{15}$ yig'indini toping.

- A) -1 B) 1 C) 0 D) $1+i$

422. To'rt xil bolt va uch xil gaykadan bittadan olib necha xil juftliklar tuzish mumkin.

- A) 6 B) 12 C) 24 D) 120

423. $(1 + i\sqrt{3})^7 + (1 - i\sqrt{3})^7$ ni hisoblang.

- A) 128 B) $32 - i$ C) 64 D) $i - 1$

424. $A_x^2 \cdot C_x^{x-1} = 48$ tenglamani yeching.

- A) x=8 B) x=3 C) x=4 D) x=6

425. "DAFTAR" so'zidan undosh va unli harflardan necha xil usul bilan tanlab olish mumkin.

- A) 12 B) 24 C) 8 D) 16

426. Uchburchakli kesik piramidaning balandligi 10 m ga, bir asosining tomonlari 27, 29 va 52 m ga, ikkinchi asosining perimetri esa 72 m ga teng. Kesik piramidaning hajmini toping.

- A) 788 B) 500 C) 1150 D) 1900

427. $x^2 + 2(p+1)x + 9p - 5$ p ning qanday qiymatlarida kvadrat uchhadning ikkala ildizi manfiy bo'ladi.

- A) $(-1; \infty)$ B) $(\frac{5}{9}; 1] \cup [6; \infty)$ C) $(\frac{5}{9}; 1]$ D) $[6; \infty)$


428. 2 ta kitob, 3 ta daftar va 4 ta qalam bor. Ulardan bittadan olinib komplektlar tuzulmoqchi. Bu ishni necha xil usul bilan qilish mumkin.

- A) 12 B) 120 C) 720 D) 24

429. 32 har xil harf va 10 ta turli raqamdan tarkibida oldin uch harf, ulardan keyin ikki raqam bo'ladigan nomerlardan qancha tuzish mumkin.

MATEMATIKA

- A) 3628000 B) 214300 C) 7689000 D) 3276800
 430. n ning qanday qimatlarida $(n - 2)x^2 - 2nx + n + 3 = 0$ tenglamaning ikkala ildizi musbat bo'ladi.
 A) $(-3; \infty)$ B) $(-\infty; -3) \cup (2; 6]$ C) $(2; 6]$ D) $[6; \infty)$
 431. $C_x^1 + 6C_x^2 + 6C_x^3 = 9x^2 - 14x$ tenglamani yeching.
 A) $x=7$ B) $x=4$ C) $x=5$ D) $x=8$
 432. 30 o'quvchisi bo'lgan sinfdan boshliq, yordamchi va kotib necha xil usul bilan saylanishi mumkin.
 A) 24360 B) 18770 C) 720 D) 12340
 433. Rasmdan foydalanib bo'yalgan soha yuzini toping. Bu yerda $f(x) = a\sqrt{x} + b$, $g(x) = kx$



- A) 18 B) 22,5 C) 24 D) 18,5
 434. $6(1 - \sin^2 2x) - \pi = (3 - 2\pi)\cos 2x$ tenglama $[0; 2\pi]$ oralig'ida nechta ildizga ega.
 A) 4 B) 5 C) 2 D) ildizga ega emas.
 435. $C_{x+1}^{x-2} + 2C_{x-1}^3 = 7(x - 1)$ tenglamani yeching.
 A) 6 B) 5 C) 3 D) 4
 436. a,b,d,e,f harflardan qancha uch harfli (har qaysi so'zda albatta b harfi bo'lishi talab qilinsa) so'z tuzish mumkin.
 A) 12 B) 120 C) 24 D) 36
 437. Agar $\sin \alpha = \frac{\sqrt{21}}{2}$, $\sin \beta = \frac{\sqrt{21}}{14}$ va α, β - o'tkir burchaklar bo'lsa, u holda $\alpha + \beta$ ni toping.
 A) 30° B) 45° C) $22,5^\circ$ D) 60°
 438. $(2nx + \frac{1}{2nx^2})^{3n}$ yoyilmaning binomial koeffitsiyentlari yig'indisi 64 ga teng. x ni o'z ichiga olmagan hadni aniqlang.
 A) 32,6 B) 240 C) 320 D) 45,6
 439. 1,2,3 va 4 raqamlaridan raqamlari takrorlanmagan nechta turli to'rt xonali juft son hosil qilish mumkin.
 A) 18 B) 12 C) 32 D) 6
 440. $\frac{A_x^4}{A_{x+1}^3 - C_x^{x-4}} = \frac{24}{23}$ tenglamani yeching.
 A) 7 B) 9 C) 8 D) 5
 441. Agar uchburchakning bir burchagini o'z ichiga olgan tomonlari 1 va 3 ga, burchak bissektrisasi esa $0,75\sqrt{3}$ ga teng ekani ma'lum bo'lsa, shu burchakni toping.
 A) 15° B) 60° C) 45° D) 30°
 442. Rus, ingliz, nemis, arab, xitoy, va o'zbek tillarining biridan ikkinchisiga tarjima qila oladigan nechta lug'at kitoblarni tuzish mumkin.
 A) 30 B) 40 C) 24 D) 120

2019 TEST TOPSHIRIQLARI

443. ABC uchburchakning A burchagi B burchagidan ikki marta katta, bu burchaklar qarshisida yotgan tomonlar esa, mos ravishda 12 va 8 sm ga teng. Uchburchakning uchinchi tomoni uzunligini toping.
 A) 10 B) 12 C) 15 D) 9
 444. Necha xil usulda oltiburchak uchlarini A,B,S,D,E va F harflar bilan belgilash mumkin?
 A) 1440 B) 720 C) 120 D) 864
 445. Tomonlari $a=14$ sm, $b=15$ sm, $c=13$ sm bo'lgan ABC uchburchakda balandliklarning kesishish nuqtasidan A uchgacha bo'lgan masofani toping.
 A) 11,5 B) 12 C) 8,25 D) 8,5
 446. Piramidaning to'rtala yo'gi muntazam uchburchaklar. Agar piramida to'la sirtining yuzi $81\sqrt{3}$ ga teng bo'lsa, uning 2 ta yo'gi markazlari orasidagi masofani toping.
 A) 3 B) 4 C) 5 D) 8
 447. $A_x^{x-3} = xP_{x-2}$ tenglamani yeching.
 A) 6 B) 5 C) 4 D) 7
 448. A va B shaharlar orasidagi masofa 195 km ga teng. A dan B ga tomon va B dan A ga tomon 2 ta poyezd bir vaqtda yo'lga chiqadi va 3 soatdan keyin uchrashadi. Keyin ular yo'lda davom etadilar. A dan chiqqan poyezd B ga ikkinchi poyezd A ga yetib kelganiga qaraganda $\frac{13}{14}$ soat oldin yetib keldi. Poyezdlarning tezliklarini toping.
 A) 12 va 23 B) 30 va 35 C) 20 va 27 D) 40 va 55
 449. Universitet Ilmiy kengashi turli lavozimlarga 10 nomzoddan 3 tasini tanlanmoqda. Har bir nomzod bir xil imkoniyatga ega. 10 ta nomzoddan 3 kishidan iborat har xil tarkibli nechta guruh tuzish mumkin.
 A) 720 B) 120 C) 240 D) 340
 450. $\frac{((n+2)!+n!)(n+1)}{(n+2)!(n^2+3n+3)}$ kasrni qisqartiring.
 A) $\frac{1}{n+2}$ B) n C) $\frac{n+2}{n}$ D) $\frac{1}{n+1}$

	0	1	2	3	4	5	6	7	8	9
27		A	B	C	D	A	B	C	D	A
28	B	C	D	D	C	B	A	A	D	B
29	C	B	C	B	A	A	A	D	D	B
30	D	A	D	B	A	A	D	A	C	B
31	B	A	A	D	D	B	D	C	B	C
32	A	B	A	B	A	B	C	D	D	B
33	A	D	C	C	C	B	C	A	D	A
34	D	D	A	A	D	A	B	A	D	B
35	D	C	B	A	D	C	A	D	C	B
36	C	A	B	A	B	C	C	B	B	A
37	C	B	A	D	D	D	C	C	D	A
38	B	B	C	A	D	B	C	A	B	D
39	C	A	B	C	C	D	D	A	C	B
40	D	B	C	D	A	D	B	C	A	D
41	B	D	D	C	B	B	A	D	C	D
42	B	A	B	A	C	C	D	B	D	D
43	B	A	A	B	A	B	D	D	B	B
44	D	B	A	A	B	C	A	D	B	B
45	A									